

> PRINT > COPY > SCAN > FAX

ECOSYS M4125idn ECOSYS M4132idn ECOSYS M8124cidn ECOSYS M8130cidn

COLOR/MONOCHROME MULTIFUNCTION PRODUCT FOR A4/A3 FORMAT

# NEW DESIGN NEW DEFINITION



Designed for dynamic workgroups with the highest demand in productivity, these state-of-the-art MFPs have extremely short first print time and high speed. This machine inherit KYOCERA's fine tradition of ultra-high reliability with KYOCERA's technologies and proprietary long life drums. These elements lead to minimal services and extensive machine uptime.

- > Breakthrough design for easy use, control and service.
- > High image quality with 1,200 x 1,200 dpi print resolution.
- > Fast first copy time (mono: 6.5 seconds; color: 8.3 seconds)\*.
- > Excellent clarity 7-inch color touch panel display\*\*.
- > Fast scanning up to 50/50 ipm A4 Mono/Color.
- > Long life drum and replacement parts provide efficiency and reliability.
- > Compact design and low noise emission.

\*For ECOSYS M8130cidn \*\* For ECOSYS M4132idn / ECOSYS M8130cidn only



## **KYOCERA Document Solutions is Extraordinary for**

- Broad Range of Multifunctional Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

## Your Powerful Partner

Specially designed for small and medium-sized enterprise, workgroup or department, these MFPs offer superior functionality, top class reliability, bright color in a compact footprint.






## Print/Copy

## Vibrant Color

- With 1,200 x 1,200 dpi print resolution.
- Brighter color image by increasing the saturation of the intermediate density.

## **Dedicated ID Copy**

Copy both sides of an identification card/credit card/driving license/name card etc into one side of a paper with "ID Card Copy" mode.



## Cost-Saving with Combine Printing

Combine up to 25-in-1 originals in one single page.



## Duplex Printing and Copying

## Saving up to 50% of paper!

Significantly reduce space for document storage and make archiving easy.




Offset Sort for Multiple Copie

• Sorting becomes an easy task with offset outputting.



Without Document Finisher



With Document Finisher (Optional)

## Quick Warm-up Time and First Print Tim



## Unique Salient Features

- Auto Color Selection function: Cost-saving for color document printing (only for ECOSYS M8124cidn/M8130cidn).
- Prevent Bleed-Through function: Provide superior background reduction when copying or scanning double-sized paper (e.g. newspaper, NCR Paper).







 Job Finish Notice function: Send email notification when a job is completed.



- Efficient Document Functions and Multi-tasking
  - Built-in Job Separator: Make the distribution of output document easy into different trays.
- Streamlined Operation: Perform multi-tasking Print/Copy/ Scan/Fax (Optional).







 Simply forward any incoming fax to another fax machine or other destinations by email/SMB/FTP.



• Capable of processing A3-sized document.

## Significantly reduce cost!

Send and receive faxes, even by overseas transmission, with the Super G3 Fax technology by PC.



# **Outstanding Features in Security**

- Secure Socket Layer (SSL) Data Security Protocol Prevent eavesdropping and tampering by enhancing secure communication for remote configuration and data retrieval.
- Security Watermark

Distinguish originals from photocopies and provide protection for the sensitive document.



Original File

Printout (Insignificant security watermark



Photocopy (Significant security watermark)

il are

• Card Authentication\* (Optional)

Control access and manage with predefined user restrictions such as color output restrictions.

UNI



## Private Print (Standard)

Retain the print job at the device and only process the print job by entering a preset password on the operation panel.



- Prevent paper wrinkling or image skewing with an internal paper stack adjuster in the paper cassette.
- Ensure superior image quality with a closed and therefore dust-free image scanning unit.
- Prevent paper curling and provide better fusing capability with the built-in dehumidifying heater.
- Design for quick and easy replacement of drum, developer unit and other maintenance parts without • any special tools.

# TOP QUALITY

## Easy to Operate Panel with Intuitive Design

• Easy-to-use operation panel: Display large icons with an animated menu with a color touchscreen.




Clear indication of job status and output status with Job Separator LED and Device status LED.





Easy to Control • Easy to control and manage print/copy permission & quota





Hybrid Platform for Advanced Solutions




- Users: Improve productivity and efficiency by simplified and faster operations.
- The IT Department: Maintain document and imaging integrity and security.

## Empower Workforce with KYOCERA Mobile & Cloud Solutions


## KYOCERA Mobile Print

- Print documents/webpages/image from virtually anywhere, on Apple/Android smartphone/tablet to designated KYOCERA MFPs and printers.
- Scan files and images from same MFPs to mobile devices.
- Support AirPrint for iPhone and iPad.



### KYOCERA MyPanel

- Use smartphone/tablet to connect a compatible networked KYOCERA printing device on local Wi-Fi network wirelessly.
- Perform COPY/PRINT/SCAN from Custom Box/ Cloud### by mobile devices with personalizing settings.



## KYOCERA Cloud Connect (Optional)

Powered by HyPAS

- Retrieve and print files in Google Drive/Evernote<sup>®</sup>, directly from any KYOCERA HyPAS-enabled MFPs.
- Upload scanned files to Google Drive/Evernote<sup>®</sup>, directly from the MFP (without using a computer).



## KYOCERA Fleet Services (Optional)

- Overview of all the devices status and receive notifications via the cloud.
- Preempt and plan for maintenance needs.

KYOCERA Fleet Services — C — X — I = I = I	
Device settings, Reports, Dashboard Firmware Device setting	

#### Support WiFi Direct

• Require IB-36 Wireless LAN (Optional)

 Makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.

(Built-in)



Personalization of settings, shortcut keys (Favorites) and language selection are available on user profiles.

Simple Login			
01 Sarah	02 Jhon	03 Harry	_
04 Kate	05 Mary	06 Chris	1/3
07 James	08 Jason	09 Jess	

### Network Authentication



KYOCERA Net Viewer - a Single Solution for Device Management and Reporting for IT Administrator

Comprehensive, well-designed and user-friendly! Access a wide range of functions (e.g. counter reading, status checking, device configuration, print accounting, alert configuration, etc.) from one administration point.



### Web Based KYOCERA Command Center RX

Check the operating status of the machine, as well as change settings related to security, network printing, email and advanced networking, etc. by accessing built-in Command Center RX with a web browser.



## Convenient and time-saving!

The administrator can access the management functions on the network remotely from his PC.

- Collect meter count data easily.
- Understand print, copy, scan and fax volumes and costs.
- Optimize allocation of machines through analyzing the most commonly used data of print/copy volume, paper sizes.
- Grant permission and volume usage authorization to users.

#### IPv6 Ready

Compatible with future network infrastructures as supporting IPv6.



## Save Our Earth

Reduce Wastage:

• Long-life drum, developer and replacement parts

Drum Life	
ECOSYS M8124cidn and ECOSYS M8130cidn	200,000 prints
ECOSYS M4125idn and ECOSYS M4132idn	300,000 prints

KOCERA aims at providing safe and comfortable products which have minimum environmental impact by acquiring various environmental labels.





Label (Japan)



Parts for Recycling

- Non-toxic materials
- Save Toner Consumption: Flexible EcoPrint Features
- Save Power Consumption
  - Power consumption as low as 0.5 Watt is achieved in sleep mode
  - White LED illumination





Eco Mark (Japan)

Law on Promoting Green Purchasing (Japan)

Model		ECOSYS M8124cidn	Main Spe ECOSYS M8130cidn	ECOSYS M4125idn	ECOSYS M4132idn		
Main Function					LC0313 WI4132IUI		
20 20				n, Fax (Optional)			
Writing Method CPU			Semicondi ARM Cortex-A9 (I	uctor Laser			
	(Mono/Color)	24/24 ppm	ARM Cortex-A9 (L 30/30 ppm	25/ - ppm	32/ - ppm		
Print Speed (A4)	Simplex(Mono/Color)	24/24 ppm		25/ - ppm D ipm	32/ - ppm		
(A4) 300dpi	Duplex(Mono/Color)			-			
Memory	Duplex(mono/color)	16/16 ipm Standard 1.5GB (Max. 3GB) Standard 1GB (Max. 3GB)					
SSD Capacity			SSD 32GB (Optional) /		(		
Warm Up Time		30 secon		20 seconds or less			
Paper Capacity Standard		600 sheets [1 x 500 sheets (Cassette) + 100 sheets (MPT)]					
	Maximum	1,600 sheets (Main Unit + 2 x 500 sheets PF-471 x1 + MPT)					
Paper Size	Cassette	Min. A5R - Max. A3 (Ledger)					
	MPT	Min. A6R - Max. A3 (Ledger) 60 - 256 g/m <sup>2</sup> 60 - 163 g/m <sup>2</sup>					
Paper Weight	Cassette MPT			45 - 256 g/m <sup>2</sup>			
Duplex Printing	IVIE I	60 - 256 g/m <sup>2</sup> 45 - 256 g/m <sup>2</sup> Paper size: A5R - A3; Paper weight: 60 - 220 g/m <sup>2</sup> Paper size: A5R - A3; Paper weight: 60 - 163 g/m <sup>2</sup>					
Output Capacity		Max. 250 sheets + 30 sheets			ets with standard Job Separator		
Control Panel		4.3-inch Color Touch LCD Panel	7-inch Color Touch LCD Panel	4.3-inch Color Touch LCD Panel	7-inch Color Touch LCD Panel		
Document Proce	ssor		Standard (Max. 50				
Dimension (W x I	D x H) (Main Unit)	590mm x 590mm >	753mm (with DP)	590mm x 590mr	m x 688mm (with DP)		
Weight (Main Un		Approx. 76 kg	Approx. 79 kg	Approx. 72 kg	Approx. 74 kg		
Power Consumpt	tion Copy/Print Mode	510W	580W	390W	515W		
(Standard	Stand-by Mode	80	W	55W	60W		
configuration)	Energy Saver		0.9	ŚW			
Noise	Copy/Print Mode	53dB(A)	54dB(A)	49dB(A)	50dB(A)		
ISO7779/ ISO929			34d				
			Copy Functio	ns (Standard)			
Copy Size				er) – Min. A6R			
Resolution				600 dpi			
First Copy Time (	Mono/Color)	7.6/ 9.8 seconds	6.5/ 8.3 seconds	5.8/ - seconds	5.2/ - seconds		
Zoom Ratio	Manual		25% - 400% (	1% per Step)	,		
	Pre-defined	5R5E					
Multiple Copy			1-	999			
Resolution			600 x 600 dpi; 1	,200 x 1,200 dpi			
PDL			PRESCRIBE, PCL6, KPDL3 (Postscript 3 co	mpatible), XPS, PDF Direct Print Ver. 1.7			
	me (Mono/Color)	7.5/ 10.2 seconds	6.5/ 8.3 seconds	5.8/ - seconds	5.2/ - seconds		
Network Printing		TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, IPP over SSL, WSD Print, Apple Bonjour Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2,					
Operating System Supported		Windows Server 2008, Windows Server 2008 K2, Windows Server 2012, Windows Server 2012 K2, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10;					
		Apple Macintosh OS X 10.5 or later; Linux					
Interface		USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x2; NFC TAGx1; 802.11 b/g/n/Wireless LAN/WiFi Direct (Optional)					
USB Memory Printing Format		TIFF, JPEG, PDF, XPS, Open XPS					
Mobile Printing			AirPrint, Mopria, KY				
				ns (Standard)			
Color Selection		Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White					
Resolution File Format		600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi TIEE IPEG XPS, OpenXPS, PDE (High-compression PDE)					
Image Type Mod	e	TIFF, JPEG, XPS, OpenXPS, PDF (High-compression PDF) Text, Photo, Text + Photo, Light Text (Fine Line)					
Transmission Typ		Scan to SMB; Scan to E-mail (SMTP, SMTP over SSL); Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan; WIA Scan					
Address Storage		200 addresses (Common address list), 50 groups (Group address list)					
			Fax Function	ns (Optional)			
Original Size			Max. A3 (Ledger) - I				
Coding Method		MMR, MR, MH, JBIG					
Transmission Speed		33.6 kbps					
Memory		12MB					
Network FAX				25			
			Consumable	es & Options			
Toner Kit			C/M/Y/K)		TK-6110		
		CMY : 6,000 pages K : 12,000 pages K : 15,000 pages					
Maintenance Kit		MK-8115 (A/B) : 200,000 pages; MK-6119 : 300,000 pages; DP: MK-6110 : 300,000 pages DP: MK-6110 : 300,000 pages					
Staple Cartridge		SH-10 : Staple for DF-470 (3 x 5,000 pages)					
Paper Feeder Finisher (ECOSYS M8130cidn /		PF-470: 500 sheets x1; PF-471: 500 sheets x2 DF-470: 500 sheets Hanger Type Finisher;					
Finisher (ECOSYS M8130cidn / ECOSYS M4132idn only)		DF-470: SUD sheets Hanger Type Finisher; AK-470: Attachment Kit for DF-470					
Fax System				tem 13			
Storage Device			HD-6: SSD 32GB;	HD-7: SSD 128GB			
Data Security			Data Secu	rity Kit(E)			
Card Authentication		Card Authentication Kit(B)					
	Board	IB-50: For Additional Network					
<b>Gigabit Ethernet</b>							



**Document Solutions** 

**KYOCERA Document Solutions Singapore Pte. Ltd.** 12 Tai Seng Street #04-01A Luxasia Building Singapore 534118 Tel : (65) 6741 8733 Fax: (65) 6748 3788 www.KyoceraDocumentSolutions.com.sg

\*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

**KYOCERA Business Partner** 



