E-STUDIO 2508A
E-STUDIO 3508A
E-STUDIO 4508A
E-STUDIO 5008A

Product brochure

- Five monochrome A3 systems with speeds of up to 50 ppm for businesses with demanding print, scan, copy and fax needs.
- State-of-the-art technology combined with intuitive usage via a 9" tablet style display, which can be customised according to a user's needs.
- Ideal for medium to large sized workgroups which need reliable document output and expect excellent image quality.





CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind. Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions to meet specific print, document management and content needs while helping you to meet your green objectives.

Produce more with less effort.

The Toshiba e-STUDIO5008A series is designed to put a fast, efficient, secure MFP in the hands of small and medium workgroups. Not only is it reliable, it also produces high-quality documents.

- > Advanced Toshiba e-BRIDGE controller technology combined with an impressive resolution of up to 1,200 x 1,200 dpi
- > A time-saving, high-speed, large-capacity 300-sheet optional Dual Scan Document Feeder
- > Power and performance in a compact footprint.



TOSHIBA TECHNOLOGY AT WORK FOR YOU.

At Toshiba, we work hard to make your work easier, and more productive. With a wide array of customisable settings, your information workflows are enhanced.

The universal driver provides fast and easy connectivity and works on all Toshiba e-BRIDGE models. Additional plug-ins provide extra functionality, such as Job Point that splits large jobs over multiple machines, Job Replicator for multi-part form replacement, Job Separator for batch printing with any Windows app, and Job Build to print different documents together as a single job.

Responsibility for the Planet

Innovation that is truly original makes certain that our environment is part of the equation, which is precisely why we're always looking for ways to be even more environmentally responsible.

- > RoHS compliant; use of recycled plastics and a low-power Super Sleep Mode to save resources
- > Being ENERGY STAR Tier 2 compliant means the systems meet the latest, most stringent environmental requirements



A COMPACT DESIGN WITH EVERYTHING INSIDE

Teams and divisions in any business need to get a lot more done often using fewer resources and minimal space. That's the thinking behind the e-STUDIO5008A series. Plenty of functions, lots of capacity, and a small footprint with a sleek, new look.

First Copy Output Time clocks in at amazing 3.6 seconds for 35-50 pages per minute (ppm) models and 4.3 seconds for 20-30 ppm models.

Multi Station Print Solution* allows you to send print jobs from your desktop and retrieve them at any convenient MFP by authenticating at that device, e.g. by simply swiping an ID card.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type.

Job Reservation will queue up multiple copy or print jobs so users can send jobs at any time.

Saddle/Fold Capabilities offer saddle-stitch finishing and the ability to fold without stapling.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Embedded Apps let you send your documents directly to or print from Microsoft OneDrive, Google Drive and Dropbox via optional e-BRIDGE Plus connectors.

Mobile Printing connects these systems with your mobile devices via AirPrint, Google Cloud Print or the Mopria Print Service.



With a large touch screen document handling has never been easier. Size and order of icons as well as the background image can be customised. Enjoy the unique experience of working with a system that understands what you want.




Customised to display up to 18 icons per page and with a different background

Customisable User Interface for an all new user experience. You decide what's best for you. A new tiltable, 9" colour touch panel works like a tablet or smartphone interface so you can find whatever you need by just swiping your finger. Plus, you can customise it to suit your individual needs.



Display icons as buttons to easily access functions or start workflows.

CONFIGURATION



HIGHLIGHTS

Advanced e-BRIDGE Technology

The next-generation e-BRIDGE architecture features an embedded web browser, enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

Double the Scan Speed

Choose between a 300-sheet highspeed Dual Scan Document Feeder, which produces up to 120 ipm (images per minute) simplex and 240 ipm duplex, and a conventional Reversing Automatic Document Feeder for less scan-intensive businesses.

Card Readers

A choice of optional card readers not only gives you fast and convenient access to your print jobs but also increases data security.

SPECIFICATIONS

General

Print & Copy Speed 25/30/35/45/50 ppm (A4)

16/16/25/25/25 ppm (A3)

Warm-up Time Approx. 14/14/16/16/16 seconds from low

power mode

Paper Size & Weight Cassettes: A5R-A3, 60-256 gsm

Bypass: A5R-A3, 52-256 gsm

Paper Capacity 2x 550 sheets (Cassettes), 1x 100 sheets (Bypass)

Maximum 3.200 sheets

Inner Output Tray 550-sheet capacity **Automatic Duplex** A5R-A3, 60-256 gsm Toshiba e-BRIDGE Controller Type

22.8 cm (9") Multi-Touch Colour Panel **Control Panel** Toshiba Secure HDD 320 GB1), 4 GB RAM Memory

Interface 10Base-T/100Base-TX/1000Base-T,

High Speed USB 2.0, WLAN2 (IEEE802.11b/g/n),

Bluetooth2), Wi-Fi Direct2)

Dimensions & Weight 585 x 585 x 787 mm (W x D x H), ~58 kg

Print

Resolution 600 x 600 dpi, 2,400 x 600 dpi (with smoothing),

1,200 x 1,200 dpi (2 bit, PostScript driver only),

3,600 x 1,200 dpi (PostScript driver with smoothing only)

Page Description Language

PCL5e, PCL5c, PCL6 (PCL XL), XPS and

PostScript 3 compatible

Supported Systems Windows 10/8/7/Vista/Server 2008 (32/64 bit),

Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.11, Linux/Unix, Citrix, Novell NetWare (NDPS), SAP, AS/400

TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios **Network Protocols**

e-BRIDGE Print & Capture, AirPrint, **Mobile Printing** Mopria Print Service, Google Cloud Print

Print Functions Universal Printer Driver, Driver Templates, Driver

plug-ins²⁾, Print from USB, Hold print, Tandem printing

Scan

Resolution Maximum 600 x 600 dpi

Scan Speed Reversing Automatic Document Feeder2): up to 73 ipm (300 dpi) in colour and monochrome

Dual Scan Document Feeder2):

up to 240 ipm (300 dpi) in colour and monochrome

Scan Modes Auto-Colour (ACS), Colour, Greyscale, Monochrome JPEG, Multi/Single Page TIFF/XPS/PDF, SecurePDF. **File Formats**

Slim PDF, Searchable PDF2) (and other formats like

DOCX, XLSX, RTF, TXT, PDF/A)2)

Scan Functions WS Scan, Scan to USB, Scan to E-Mail, Scan to

File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan2), OCR Scan2), Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution Scan: 600 x 600 dpi

Print: 2,400 x 600 dpi with smoothing

First Copy Output Time Approx. 4.3/4.3/3.6/3.6/3.6 seconds

25-400% (Platen), 25-200% (RADF/DSDF)2)

Copy Modes Text. Text/Photo. Photo. Custom

Electronic Sort, Rotate Sort, Edge Erase, **Copy Functions**

2-in-1 / 4-in-1 mode

Fax1)

Super G3, G3 - (opt. 2nd line), Internet Fax T.37 Communication

Transmission Speed Approx. 3 seconds per page Compression JBIG, MMR, MR, MH

Fax Memory 1 GB (HDD) Transmission/Reception

Driver for Windows 10/8/7/Vista/Server 2008/Server **Network-Fax**

2003 (32/64 bit), Server 2012/Server 2008 (64 bit)

Incoming Fax Routing To shared folders (SMB, FTP, IPX/SPX), E-Mail,

System & Security

Device Management e-BRIDGE Fleet Management System²⁾, Top Access

for remote administration and configuration

System Features e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch

templates for storage of personalised settings or workflows, Scan/Fax Preview, e-BRIDGE Open Platform²⁾, Embedded Web Browser, Job Skip

Role Based Access, LDAP support, **Accounting & Security**

1,000 department & 10,000 user codes, Card Reader²⁾, Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler²⁾, IP and MAC address filter, Port filter. Support of SSL and IPsec²⁾ protocols. IEEE802.1x support, IEEE2600.1 compliant2,

Scan to Secure PDF

OPTIONS

REVERSING AUTOMATIC DOCUMENT FEEDER

100-sheet capacity, A5R-A3, 35-157 gsm

DUAL SCAN DOCUMENT FEEDER 300-sheet capacity, A5R-A3, 35-209 gsm

PAPER FEED PEDESTAL

550-sheet capacity (1 Cassette), A5R-320 x 460 mm, 60-256 gsm

DRAWER MODULE

For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-A3, 60-256 asm

ENVELOPE DRAWER

For Paper Feed Pedestal or 2nd cassette Envelopes: 50-envelope capacity, 100 x 162 mm-240 x 380 mm, 60-85 gsm Paper: 550-sheet capacity (1 Cassette), A5R-A4R, 60-256 gsm

LARGE CAPACITY FEEDER

2,000-sheets capacity, A4, 64-105 gsm

INNER FINISHER

2 trays, 600-sheet capacity 50-sheet multi-position stapling A5R-A3, 64-105 gsm (stapling mode)

MULTI-STAPLE FINISHER

2 trays, 2,250-sheet capacity 50-sheet multi-position stapling A5R-A3, 60-105 gsm (stapling mode)

SADDLE-STITCH FINISHER

2 trays, 3,250-sheet capacity 50-sheet multi-position stapling

Available in 2 holes (E), 4 holes (F)

5-sheet center folding

Saddle-stitched booklets of up to 60 pages A5R-A3, 60-105 gsm (stapling mode)

HOLE PUNCH UNIT

PLATEN COVER

HARD DISK DRIVE 320 GB1)

JOB SEPARATOR

WORK TRAY

ACCESSORY TRAY

PANEL TEN-KEY OPTION

USB HUB³⁾

FAX BOARD

WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct)

e-BRIDGE ID-GATE

DATA OVERWRITE ENABLER

IPsec ENABLER

EMBEDDED OCR ENABLER

MULTI STATION PRINT ENABLER

META SCAN ENABLER

UNICODE FONT ENABLER

e-BRIDGE RE-RITE

ACCESSIBLE ARM



















¹ GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed. Optional

For e-STUDIO2508A and e-STUDIO3008A only

About Toshiba TEC

Toshiba TEC UK Imaging Systems LTD is part of the globally operating Toshiba TEC Corporation, active in various high-tech industrial sectors.

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

TOSHIBA TEC UK IMAGING SYSTEMS LTD

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone

+44 (0)843 2244944

info@toshibatec.co.uk

Website

www.toshibatec.co.uk









This Class 1 laser product complies with IEC60825-1. Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned. Copyright ©2016 TOSHIBA TEC. BR_e-STUDIO5008A series_201604 6BY0COP1610

