

6075 / 6065 / 6055






Advanced made simple for you.



Featuring the latest in technology, the **imageRUNNER ADVANCE 6000 series** makes document communication simpler than ever. It is designed to integrate seamlessly with your current infrastructure and enhance the document management cycle at every single stage. From black and white prints to full color scanning, annotation and transmission – all the way to the world of Cloud computing – you will discover a new era of quality, convenience and efficiency all in a single multifunctional device.




imageRUNNER ADVANCE TECHNOLOGY REACHES NEW HEIGHTS

Cloud computing is gaining acceptance with more and more companies across the globe. Businesses today look to Cloud computing for on-demand scalability. Costly infrastructure, setups and administrative burden are a thing of the past with proper implementation of Cloud Computing technology.

Canon's imageRUNNER ADVANCE maximizes office productivity by allowing users to access Cloud services right from imageRUNNER ADVANCE devices. Users can scan and store their paper documents, or choose to retrieve and print their documents stored in their Cloud service.

Scan-to-Cloud and Print-from-Cloud is simple with Canon's imageRUNNER ADVANCE - all that is needed is an imageRUNNER ADVANCE multifunctional device (MFD); no drivers, additional software or personal computers are required. With the Cloud Scan and Cloud Print support of Google™ Docs and Microsoft™ SharePoint Online, imageRUNNER ADVANCE systems are the perfect way to scan and print through Cloud services.





Important Note:

- * Machine upgrades may be required to support Google™ Docs and Microsoft™ SharePoint Online Cloud services via the imageRUNNER ADVANCE devices. Internet connectivity is required.
- ** Users of Google™ Docs and Microsoft™ SharePoint Online Cloud services are advised to evaluate the benefits and risks of Cloud services and their data security needs.
- *** Availability of the Google™ Docs and Microsoft™ SharePoint Online Cloud services on the imageRUNNER ADVANCE devices varies by country or region. For more information, please contact your local Canon Sales Office.



ADVANCED USABILITY AND CONVENIENCE

Meet the multifunctional device that is optimized for convenience and speed - your way.




Configurable Quick Menu

Complex, frequently used settings can be easily configured to run at the touch of a button. This streamlines every individual's workflow and increases productivity by letting you accomplish more in less time.



Plug and Print Capability

With standard USB input and optional media connectivity options such as Secure Digital (SD) or CompactFlash (CF) Cards, you can walk up to any imageRUNNER ADVANCE 6000 series with your thumbdrive or memory card to scan and print on the spot.



The new imageRUNNER ADVANCED 6000 interface provides you with a more pleasant navigation experience on an 8.4" full color, high-resolution TFT touchscreen. For even better accessibility, Canon recommends the optional Upright Control Panel. The larger 10.4" screen promotes easier legibility, while tilt and swivel capability allows users to adjust the UI to a comfortable preference.

Innovative Toner System

0

To maintain the ongoing productivity of your business, the imageRUNNER ADVANCE 6000 series features a toner system that can be replaced - even when your device is delivering printouts.



ADVANCED PRINT QUALITY

Quality prints that truly shine.

ADVANCED imageCHIP System Architecture

To meet and exceed the demands of today's businesses, Canon has developed a dual processor system. The image processor board works with the scanner, adjusts images, and ensures superior image quality and ultra-fast processing. The information processor boards controls user interface and coordinates device networking and connectivity. The result is higher quality printouts with lesser wait.



The imageRUNNER ADVANCED 6000 series supports Genuine Adobe PostScript 3 printing capability, enabling you to deliver the desired output quality without worrying about font compatibility. True PostScript capability also means seamless collaboration with PostScript workflows for faster and higher quality prints. You will also enjoy direct PDF printing and full support of Adobe fonts.





High Resolution Brilliant Printouts

Combine the E-drum imagePRESS technology with a 1200x1200 dpi printing resolution, and you will get sharp and vivid printouts, image consistency and high speed printing. Add to that an intelligent controller, and the imageRUNNER ADVANCE 6000 series truly brings you the crispest black and white printouts.

Fiery Print Controllers

For jobs that demand an exceptionally high level of productivity and advanced management workflow control, Canon provides a powerful Fiery print controller option. The imagePASS-U1 is Variable Data Printing (VDP) ready and support a variety of VDP languages.





PRODUCTIVITY

Advanced technology becomes simple with the Canon imageRUNNER ADVANCE. Simply add the modular units you need to further extend the functions of your device.

Professional Looking Documents

With Canon's optional accessories, it is easy to impress and inspire with professional-grade reports and presentations. Simply select the settings you want, ranging from automatic stapling, punching, collating, V-folding and even booklet creation function. For a compact footprint, internal stapling and collating units are also available as options.

High Speed Scanning

Canon's revolutionary Duplex Color Image Reader features a proprietary image sensor. This allows you to create 100 to 150 crystal-clear digital reproductions of black & white and color documents each time you press the button.

Paper Deck Unit Upgrade


High print count operations will benefit from the high capacity of optional Paper Deck Units. Paper Deck Unit-A1 and D1 adds an additional 3,500 sheets of A4 and A3 paper respectively. This translates to lesser time spent on paper loading and longer uptime for critical print jobs.

4-Line Fax

The imageRUNNER ADVANCE 6000 series supports optional Super G3 fax functionality for high-speed fax transmissions. The 4-line fax feature is capable of handling large volumes of fax documents, while ensuring lesser busy signals and greater connectivity. You can also save cost and space by consolidating multiple fax devices into one shared device.

Remote Fax Collaboration

With the optional Remote Fax Kit, you can also fax through other fax-capable imageRUNNER ADVANCE devices in the network, even if the one you are using does not have a fax-board installed. This means significant cost-savings and convenience.



Remote Fax Kit installed device

Fax-enabled device



DOCUMENT WORKFLOW

A healthy document workflow means a healthy business. With imageRUNNER ADVANCE 6000 series, you will find the most advanced, yet simple workflow.




Scan and Send

In one simple operation, you can distribute scanned documents to multiple destinations, such as email, fax destinations and network folders. The wide range of formats include standard High Compression PDF, Adobe PDF Reader Extensions, Searchable PDF, Encrypted PDF and XPS.

Advanced Box

Canon's new built-in document sharing solution simply makes sense. Multiple users can collaborate easily on a shared folder and access files from PCs or other networked imageRUNNER ADVANCE systems. Personal folders are also available for more sensitive documents. What's more, you can also preview the documents before printing them.



iW Function Flow

iW Function Flow is an imageRUNNER ADVANCE series core MEAP application that can transform time-consuming, multiple step tasks into simple workflows for each user. Scanning, e-mailing, faxing, and archiving can be done in one operation, all from a single button on the device control panel.

MEAP Connectors

MEAP Connectors bridge your Canon imageRUNNER ADVANCE and enable communication with external storage or document management systems. The software development kit (MEAP SDK) also enables third party vendors to develop systems based on your requirements. You can even create workflow tasks using the MEAP Connector with the PC-based Function Flow Editor tool.



ADVANCED

The imageRUNNER ADVANCE makes it easy to monitor and optimize your company's output.


Centralized Remote Control

Using the Remote User Interface, your IT managers and system administrators will be able to control and manage output devices without having to travel to each machine to check machines or update their status.

eMaintenance

Canon's unique eMaintenance allows intelligent remote administration of your imageRUNNER ADVANCE device. Remote meter readings provides real-time tracking, while the automatic fault reporting and consumables tracking instantly alerts Canon Customer Care for proactive actions such as accurate device maintenance or toner replenishment. In short, eMaintenance provides you with more up-time, convenience and greater productivity.

* eMaintenance works with most Canon copiers, printers and multifunctional devices. For more information on what models are supported, please contact Canon.





Safeguard your business' sensitive documents without compromising on quality or speed.

Card Authentication controls access of devices in the office to authorized users with the use of optional ID cards.

Document Scan Lock embeds hidden tracking information in a document to restrict unauthorized copying or scanning, and track the origin.

Department ID restricts machine usage to those users with a valid ID and password.

Access Management System allows restriction of various features of copy, print, fax, scan, Mail Box by user, group or job function. You can even limit access for specific functions such as copying.

HDD Encryption and Erase encrypts information before it is written to the hard drive, and permanently removes it by overwriting when the job is complete.

iEEE2600 Standard Conformity meets the industry requirements for hardcopy security in medical, finance, and other office environments.





Canon's imageRUNNER ADVANCE 6000 series is more than a black and white multifunctional device - it represents an integral innovation that is made for the heart of your business communication needs.

SPECIFICATIONS imageRUNNER ADVANCE 6000 Series

Console	
A3	
Cassette 1, 2	A4, B5
Cassette 3, 4	279mm x 432mm, A3, A4, A4R, B4, B5, 139.7mm x 182mm
Multi Purpose Tray	to 297mm x 487.7mm 279mm x 432mm, A3, A4, A4R, A5R, B4, B5, B5R Custom Size (100mm x 148mm to 297mm x 487.7mm), Free Size (100mm x 148mm to 297mm x 487.7mm)
Reading	600dpi x 600dpi
	600dpi x 600dpi
	1200dpi x 1200dpi (Text/Line only)
	6075: 75ppm (B&W) / 6065: 65ppm (B&W) / 6055: 55ppm (B&W)
A3	6075: 37ppm (B&W) / 6065: 32ppm (B&W) / 6055: 32ppm (B&W) 25-400%
	or less / 6065/6055: 3.3 seconds or less
	52 to 220gsm
	52 to 256gsm
	1,500sheets x 2 cassettes (80qsm)
	550sheets x 2 cassettes (80gsm)
	100 sheets (80gsm)
Paper Deck	3,500sheets (80gsm)
1.2GHz	
	AM / Maximum: 2GB RAM
Standard: 80GB / N	1aximum: 250GB
	eT/100Base-TX/10Base-T)
Wireless LAN (IEEE	802.11b/g, Optional), USB 2.0
	60Hz, 10A
	55,000
	56,000
	6,000,000
1,040 x 645 x 770 1,220 x 645 x 770	mm (with platen cover) mm (with DADF)
1,252 x 1,481 x 77	'O mm (with DADF and Upright Control Panel)
Approx. 237kg (wit	th toner bottle and DADF)
	CL5e/6 (optional), Adobe PostScript 3 (optional)
	cessor, 1.2GHZ (OSES Main unit CPO)
Roman93, Bitmap	10 OCB3
PCL Adobe PostScript 3	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7,
Adobe PostScript 3	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)
Adobe PostScript 3 Windows 2000/XF	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later,	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) V/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) , Mac OSX (10.2.8 or later)
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later, Ethernet (1000Bas	\[\text{Windows 2000/XP/Server2003/Vista/Server2008/Win7} \] \[\text{Windows 2000/XP/Server2003/Vista/Server2008/Win7}, \] \[\text{Mac OSX (10.4.9 or later)} \] \[\text{Viscourser2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)} \] \[\text{Mac OSX (10.2.8 or later)} \] \[\text{Viscourser303/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)} \] \[\text{Viscourser303/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)} \] \[\text{Viscourser303/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)} \] \[\text{Viscourser304/Viscourser303/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)} \] \[Viscourser304/Viscourser3
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Mac OSX (10.2.8 or later)
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Mac OSX (10.2.8 or later) //Mac OSX (10.4.9 or later) //Mac
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Mac OSX (10.2.8 or later)
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Mac OSX (10.2.8 or later) //Mac OSX (10.4.9 or later) //Mac
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9' Network TWAIN Dr	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Mac OSX (10.2.8 or later) //F/100Base-TX/10Base-T) //802.11b/g, Optional), USB 2.0
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Mac OSX (10.2.8 or later) //F/100Base-TX/10Base-T) //802.11b/g, Optional), USB 2.0
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7 Mac OSX (14.4.9 or later) Province Windows 2000/XP/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/XIII Wi
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9' Network TWAIN Dr PCL5c/6, Adobe Pc 1200dpi x 1200dpi x 1200dpi	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Mac OSX (10.2.8 or later) //FI/100Base-TX/10Base-T) //B02.11b/g, Optional), USB 2.0 //B02/IDP/IPPS/SMB/FTP), IPV6, IPX/SPX (NDS, Bindery), AppleTalk //FI/IDP/IPPS/SMB/FTP), IPV6, IPX/SPX (NDS, Bindery), AppleTalk //FI/IDP/IPPS/SMB/FTP, IPX/SMB/FTP, IPX/S
Adobe PostScript 3 Windows 2000/XP Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr PCL5c/6, Adobe Pc 1200dpi x 1200dp Intel T2500 Core D 2GB (2x1GB) DDR. 80GB \$ATA	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Mac OSX (10.2.8 or later) //FI/100Base-TX/10Base-T) //B02.11b/g, Optional), USB 2.0 //B02/IDP/IPPS/SMB/FTP), IPV6, IPX/SPX (NDS, Bindery), AppleTalk //FI/IDP/IPPS/SMB/FTP), IPV6, IPX/SPX (NDS, Bindery), AppleTalk //FI/IDP/IPPS/SMB/FTP, IPX/SMB/FTP, IPX/S
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bay Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr PCL5c/6, Adobe Pc 1200dpi x 1200dp Intel T2500 Core D 2GB (2x1GB) DDR BOGB SATA DVD-ROM/CD-RW	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)
Adobe PostScript 3 Windows 2000/XP Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr PCL5c/6, Adobe Pc 1200dpi x 1200dp Intel T2500 Core D 2GB (2x1GB) DDR. 80GB \$ATA	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later)
Adobe PostScript 3 Windows 2000/XP Mac OS 9.1 or later Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr PCL5c/6, Adobe Pc 1200dpi x 1200dp Intel 12500 Core D 2GB (2x1GB) DDR. 80GB SATA DVD-ROM/CD-RW 136 Adobe PS Font N/A	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7 Mac OSX (10.4.9 or later) Windows 2000/XP/Server2008/Win7, Mac OSX (10.2.8 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later)
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas) Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr PCL5c/6, Adobe Pc 1200dpi x 1200dp Intel T2500 Core D 2GB (2x1GB) DDR. 80GB SATA DVD-ROM/CD-RW 136 Adobe PS Font N/A Windows 2000/XF	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) Mac OSX (10.2.8 or later) Mac OSX (10.3.9 or later) Mac OSX (
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later, Ethernet (1000Bas) Wireless LOOBas Wireless LAOBas Network TWAIN Dr PCL5c/6, Adobe PC 1200dpi x 1200dp Intel T2500 Core D 2GB (2x1GB) DDR. 80GB SATA DVD-ROM/CD-RW 136 Adobe PS Font N/A Windows 2000/XF 4 USB (Front 1, Red	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7 Mac OSX (10.4.9 or later) Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.2.8 or later) Wiscover2003/Vista/Server2008/Win7, Mac OSX (10.2.8 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Wista/Vista SP1, Mac OSX (10.3.9 or later) Windows 2000/Xista/Vista SP1, Mac OSX (10.3.9 or later)
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethermet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr PCLSc/6, Adobe Pc 1200dpi x 1200dp Intel 12500 Core D 2GB (2x1GB) DDR 80GB SATA DVD-ROM/CD-RW 136 Adobe PS Fort N/A Windows 2000/XF 4 USB (Front 1, Re; TCP/IP (LPD/Port9')	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) Mac OSX (10.4.9 or later) Mac OSX (10.4.9 or later) Mac OSX (10.2.8 or later) Mac OSX (10.3.9 or later) Mac OSX (
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethernet (1000Bas) Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr PCL5c/6, Adobe Pc 1200dpi x 1200dp Intel T2500 Core D 2GB (2x1GB) DDR 80GB SATA DVD-ROM/CD-RW 136 Adobe PS Font N/A Windows 2000/XF 4 USB (Front 1, Re; TCP/IP (LPD/Port9') andard)	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7 Miac OSX (10.4.9 or later) ViServer2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Vista/SPX (NDS, Bindery), AppleTalk Windows 2000/Xista/SPX (NDS, AppleTalk) Windows 2000/Xista/SPX (NDS,
Adobe PostScript 3 Windows 2000/XF Mac OS 9.1 or later Ethermet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9') Network TWAIN Dr PCLSc/6, Adobe Pc 1200dpi x 1200dp Intel 12500 Core D 2GB (2x1GB) DDR 80GB SATA DVD-ROM/CD-RW 136 Adobe PS Fort N/A Windows 2000/XF 4 USB (Front 1, Re; TCP/IP (LPD/Port9')	Windows 2000/XP/Server2003/Vista/Server2008/Win7 Windows 2000/XP/Server2003/Vista/Server2008/Win7 Mac OSX (10.4.9 or later) ViServer2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Win7, Mac OSX (10.4.9 or later) Windows 2000/Xista/Server2008/Xista/Server2008/Xista/Server2008/Vista/Vista SP1, Mac OSX (10.3.9 or later) Windows 2000/Xista/Server2003/Server2008/Vista/Vista SP1, Mac OSX (10.3.9 or later) Windows 2000/Xista/Server2008/Vista/Vista SP1, Mac OSX (10.3.9 or later) Windows 2000/Xista/Server2008/Vista/Vista SP1, Mac OSX (10.3.9 or later) Windows 2000/Xista/Server2008/Vista/Vista/Server2008
	Reading Copying Printing A4 A3 Copy Ratio 6075: 3.1 seconds 38 second or less 1 to 9,999 copies Cassette Stack Bypass Cassette 1, 2 Cassette 1, 2 Cassette 3, 4 Multi Purpose Tray Paper Deck 1.2GHz Standard: 1.5GB R Standard: 1.5GB R Standard: 80GB / N Ethernet (1000Bas Wireless LAN (IEEE 220-240V AC, 50/ 2.2kW or less Black-and-White Black-and-White Black-and-White Black-and-White Black-and-White Black-and-White Black-and-White Company Compan

To arrange for a demonstration, simply contact any of our offices below.



SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

LDAP, Local (Max. 1800)
TIFF, JPEG, PDF, XPS, High compression PDF/XPS, PDF/A-1b, Optimize PDF for web

Canon Singapore Pte. Ltd.
1 HarrbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632 Tel: +65-6799 8888 | Fax: +65-6799 8882 www.canon-asia.com

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Destinations

Address Book

Arghanistan:
Megaplus Afghanistan Limited
House No. 233, Street No. 4, Charagh Ali,
Qilla-e-Fatehullah, Kabul, Afghanistan
Tel: 93-700 228 832 / 93-700 979 511
Fax: 93-202 201 259
Email: info@megaplus.com.af

Bangladesh:

Flora Limited
Adamjee Court Annex-2 (4th Floor)
119-120 Motijheel Commercial Area
Dhaka 1000 Bangladesh
Tel: 880-2-716-2742-46 / 225
Fax: 880-2-955-0030
www.floralimited.com

Brunei: Interhouse Company No. 5-7 Bunut Jaya Complex Spg 574 Jalan Tutong BF1 320 P.O. Box 423, Seri Complex Bandar Seri Begawan BA 1779 Brunei Darussalam Tel: 673-2-653-001 Fax: 673-2-653-003

Cambodia: Royal Cambodia Co., Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tel: 855-23-428955 Fax: 855-23-722961

www.canon.com.sq

Email/Internet FAX (SMTP), PC (SMB, FTP), iWDM, WebDAV

Hong Kong: Canon Hongkong Co. Ltd 19F, The Metropolis Tower 10 Metropolis Drive Hunghom, Hong Kong Tel: 852-3191-2388 Fax: 852-2369-3800 www.canon.com.hk

India: Canon India Private Limited 7th Floor, Tower B, Building #5 DLF Cyber Terraces, DLF Phase-3 Gurgaon - 122002 Haryana, India Tei: 91-124-416 0001 Fax: 91-124-416 0001 www.canon.co.in

Indonesia:

PT Samafitro Jalan Ir. H Juanda No.8 Jakarta 10120, Indonesia Tel: 62-21-345 8989 Fax: 62-21-345 6699 www.samafitro.co.id

Malaysia: Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square Saujana Resort Section U2, 40150 Shah Alam 40 i 50 Shah Alam Selangor Darul Ehsan, Malaysia Tel: 60-3-7844 6000 / 7845 0055 Fax: 60-3-7844 6196 / 6198 www.canon.com.my

Maldives:

Maldives: Simdi Company Pvt Ltd. G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives Tel: 960-333 4421 Fax: 960-333 4424

Myanmar:
Myanmar Golden Rock International Co., Ltd
Level 6, FIV Commercial Centre
No: 422-426, Strand Road
Botataung Township
Yangon, Myanmar
Tel: 95-1-202092 to 96
Fax: 95-1-202079
Fmail: sales@mgr.com.mm Email: sales@mgr.com.mm

Nepal: International Electronics Concern (P) Ltd Kha 14, 1s Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu, Nepal P.O. Box 12588 Tel: 977-1-442 1991 Fax: 977-1-442 1909

Pakistan: Shirazi Trading Company (Pvt.) Ltd 8th Floor, Adamjee House I.I. Chundrigar Road Karachi 74000 Pakistan Tel: 92-21-3241 (7659), (7737) or (7746) Fax: 92-21-3241 7747), (3242 0417) or (3242 0418) www.shirazitrading.com.pk

Philippines:
Canon Marketing (Philippines), Inc.
Ground Floor Commerce and Industry Plaza.
Campus Ave. Cor. Park Ave., McKinley Hill
Fort Bonifacio, Taguig City
T2: 632-884-9000
Fax: 632-856-1456
WANN CARDON COM Ph

www.canon.com.ph

Sri Lanka: Metropolitan Office (Pvt) Ltd 12, Magazine Road Colombo 08 Sri Lanka Tel: 94-11-470 0200 Fax: 94-11-470 0267

Thailand:
Canon Marketing (Thailand) Co. Ltd
10**Floor Bangkok City Tower
179734-45 South Sathorn Road
Bangkok 10120
Tel: 66-2-344 9999
Fax: 66-2-344 9960
www.canon.co.th

Vietnam:

Vietnam:
Canon Singapore Pte Ltd
Ho Chi Minh City Representative Office
Floor 6, Saigon Centre Building
65 Le Loi, Ben Nghe Ward, District 1
Ho Chi Minh City, Vietnam
Tel: 848-3820 0466
Fax: 848-3820 0477


Canon Singapore Pte Ltd Hanoi Representative Office CharmVit Building, 11* Floor 117 Tran Duy Hung, Cau Giay District Hanoi, Vietnam Tel: 844-3771 1677 Fax: 844-3771 1678



Integrated Solutions iR ADVANCE Features



To integrate more capabilities into your imageRUNNER ADVANCE device, simply speak with your friendly Canon representative.



Other Optional Accessories

Other Optional Accessories

Tab Feeding Attachment Kit-B1, External 2/3 Hole Puncher-A1, Copy Tray-Q1, Shift Tray-E1, Utility Tray-A1, Upright Control Panel-B1, USB Keyboard, Card Reader-C1, ADF Access Handle-A1, Copy Control Interface Kit-A1, PCL Printer Kit-A11, PS Printer Kit-A11, Direct Print Kit (for PDF)-H1, Direct Print Kit (for YDF)-H1, Encrypted Secure Print Koftware-D1, Barcode Printing Kit-D1, Web Access Software Kit-H1, Super G3 A78, Board-AF1, Super G3 3rd/4th Line Fax Board-AF1, Super G3 3rd/4th Line Fax Board-AF1, Remote Fax Kit-A1, Secure Watermark-B1, Wireless LAN Board-B1, USB Device Port-A1, Multimedia Reader/Writer-A1, Additional Memory TypeB (512MB), Document Scan Lock Kit-A1, Data Erase Kit-C1, HDD Data Encryption & Mirror Kit-C2, Removable HDD Kit-AD1, 80GB HDD-C1, 250GB HDD-C1, IPSec Board-B2, Expansion Bus-F1, Voice Guidance Kit-F1, Remote Operator's Software Kit-B1







This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks of their respective owners.

uniFLOW is an independent party software distributed by Canon Singapore Pte. Ltd.