





ADVANCED MADE SIMPLE FOR YOU



HIGH-END EFFICIENCY MEETS EFFORTLESS SIMPLICITY.

Technology should advance your business – not complicate it. This is why the **imageRUNNER ADVANCE C9200 PRO series** retains the trademark simplicity while offering high-end features. Built to be the centerpiece of your business document workflow, the imageRUNNER ADVANCE C9200 PRO enables your office to run large volume, high quality prints at an equally high speed.

Now empowered with the latest Cloud technology, the imageRUNNER ADVANCE multifunctional device sets a new standard in scalability, flexibility and productivity while retaining our trademark simplicity.

All these come together to bring you an integral multifunctional device that makes it simple to meet and exceed your business requirements.

The imageRUNNER ADVANCE C9200 PRO series.
Powerful productivity through effortless simplicity.



The **imageRUNNER ADVANCE C9200 PRO series** has been designed from the onset to offer you the following:



Find out how we have made Advanced technologies work simpler for you.



ADVANCED USABILITY AND CONVENIENCE

Meet the multifunctional device that is optimized for convenience and speed - your way.



INTUITIVE USER INTERFACE

The large 10.4" User Interface Display is designed for maximum ease of use. The ability to adjust and tilt the upright panel provides wide viewing angles for exceptional clarity. Coupled with instant access to all the key functions of the device through the Express Copy mode, Quick Menu and Customizable Main Menu, it is easy to organize the device to suit the way you work.

DESIGNED FOR SPEED

Canon's new Advanced imageCHIP system architecture is built to meet today's high volume, high quality work demands. Experience print speeds of up to 80 pages per minute in black and white, and 70 pages per minute in full color with the C9280 PRO. The Single-Pass Duplex Color Scanner lets you convert digital files at an impressive speed of 200/140 impressions (B&W/color) per minute at 300dpi.

WALK UP CONVENIENCE

The imageRUNNER ADVANCE C9200 PRO series comes with a USB port that lets you scan to or print* files directly from your USB drive or memory card at the device.

** Optional accessories are required for print.*



KEEPS YOUR BUSINESS RUNNING

The imageRUNNER ADVANCE C9200 PRO series features an innovative toner replacement system that allows you to change the toners even during printing. Its large paper capacity provides quicker job turnarounds, while the inbuilt paper sensor that intelligently detect paper sizes to reduce paper jams and misfeeds. Support for eMaintenance also enables constant monitoring of the system for maximum uptime.



ADVANCED PRINT QUALITY

Quality prints that truly shine.

BRILLIANT, HIGH RESOLUTION PRINTOUTS

1200 dpi
RESOLUTION

Canon's next generation imaging systems deliver stunning image quality with astonishing speed. True 1200 x 1200 dpi printing resolution produces crisp text with smooth corners, while subtle gradient transitions give images remarkable clarity.

High precision eight-beam red lasers help produce high-quality images with proper shading and accurate registration. Auto Gradation Adjustment feature ensures densities and halftones are at the ideal level, while Real-Time Calibration maintains this by making automatic, real-time adjustments during print runs.

Combined with Canon's new oil-free and micro-dispersed wax based pQ toner and enhanced image controller, you get sharp, vivid, dense images with improved gloss levels, and a smooth finish.



ADVANCED imageCHIP DUAL PROCESSOR ARCHITECTURE

Canon's dual processor system is designed to meet your business demands. The image processor board works provides superior image processing, while the information processor works with the user interface to coordinate device networking and connectivity. Together, they give you better results with lesser wait.



GENUINE POSTSCRIPT CAPABILITY

Genuine Adobe PostScript 3 capability ensures full font compatibility and quality, with support for Pantone Color System, which is essential in the creative and publishing industries. A genuine Postscript workflow lets you achieve faster, higher quality printouts – not just emulations. Direct PDF printing with full support of Adobe fonts also translates to improved office productivity.

FIERY PRINT CONTROLLERS

Where an exceptionally high level of productivity and advanced color management control is needed, you can rely on our Fiery print controller options: imagePASS-A2 and ColorPASS-GX400. Using EFI Fiery ColorWise® tools, you can achieve consistent, precise colors. The optional Graphic Arts Feature Set (for ColorPASS) provides added benefits such as color matching, halftone screening, and paper simulation.



ADVANCED PRODUCTIVITY

Whatever your business needs may be, Canon imageRUNNER ADVANCE is there to deliver. Simply add on modular units to extend the capabilities of your multifunctional device.



INTELLIGENT, HIGH CAPACITY PAPER MANAGEMENT

With a maximum paper capacity of 9,300 sheets, large print jobs can run without stopping for replenishments or manual feeding. If the correct paper size or stock is unavailable during printing, the system automatically holds the job in the print queue and proceeds with the next job immediately. The device automatically pushes unused tab papers to a separate tray when printing fewer tabs than the tabs bank.

PROFESSIONAL LOOKING DOCUMENTS

Impress your business associates and colleagues alike with professional-grade documents. Select the settings you want, ranging from automatic stapling, punching, collation and even booklet creation function. For a compact footprint, internal stapling and collating units are also available as options.




HIGH SPEED SCANNING

Canon's revolutionary Duplex Color Image Reader features a proprietary image sensor that allows you to create up to 300 crystal clear reproductions of black & white and color documents each time you press the start button.

4-LINE FAX AND REMOTE FAX KIT

For high-speed fax transactions, equip your device with the Super G3 fax board. Its 4-line fax feature is capable of handling large volumes while ensuring lesser busy signals and greater connectivity. The optional Remote Fax Kit lets you tap on other fax-capable imageRUNNER ADVANCE devices in the network for significant cost-savings.




ADVANCED WORKFLOW

The Canon imageRUNNER ADVANCE series is designed to streamline workflow and simplify productivity. Send, save, store, and access scanned documents at multiple locations – straight from a single device.

STORE AND ACCESS WITH EASE

The inbuilt Advanced Box allows multiple users to share and access files from PCs or other networked imageRUNNER ADVANCE systems. Personal Folders are encrypted for more sensitive documents. The Mailbox feature also lets you access the stored documents from the device or remote user interface, with up to 100 user accounts.



SCAN AND SEND

In one simple operation, you can distribute scanned documents to multiple destinations, such as email, fax destinations and network folders. The wide range of formats* includes standard High Compression PDF, Adobe PDF Reader Extensions, Searchable PDF, Encrypted PDF, XPS, and even the latest Office Open XML for Word and PowerPoint.


* Installation of optional accessories may be required.



CANON CLOUD CONNECT

Canon imageRUNNER ADVANCE series maximizes office productivity by allowing users to access Cloud services right from the devices. Users can scan and store their paper documents, or choose to retrieve and print their documents stored in their Cloud service. With the Cloud Scan and Cloud Print support of Google Docs and Microsoft SharePoint Online, imageRUNNER ADVANCE systems are the perfect way to scan and print through Cloud services.

* Internet connection and upgrades may be required to support Cloud services, and Cloud services may vary by country or region. For more information, please contact your local Canon Sales Office.



ADVANCED MANAGEMENT AND SECURITY

Be in control, wherever you are.
The imageRUNNER ADVANCE
makes it easy to monitor and
optimize your company's output.

CENTRALIZED REMOTE CONTROL

The Remote User Interface lets IT managers and system administrators control, track, and manage each output device without having to travel to each and every machine for status checks.

eMAINTENANCE

Take control of your Canon device fleet and reduce administration burdens with eMaintenance*. With less downtime and easy maintenance, you will have longer uptime and greater productivity.


* Compatible with most Canon copiers, printers and multifunctional devices. For more information on what models are supported, please contact Canon.

ACCESS MANAGEMENT SYSTEM KIT

Access Management System Kit lets administrators control functions that each individual, workgroup or department is allowed to use. In tandem with contactless Card Authentication unit, you can increase document security and reduce wastage from unauthorized prints.


ADVANCED SOLUTIONS

To achieve even more with the imageRUNNER ADVANCE system, select the document solution that best meets your organizational needs.



THEREFORE

Therefore is a holistic document management system that offers an easy-to-implement storage and retrieval system to give every staff instant, secure access to all information.



eCOPY PDF PRO OFFICE

eCopy® PDF Pro Office, the latest enterprise-ready PDF solution from Nuance, is the smarter PDF desktop software companion to Canon MFDs. This powerful, easy-to-use PDF solution that lets you create, convert, and collaborate for increased productivity and cost savings.



eCOPY SHARESCAN SUITE

eCopy® ShareScan Suite transforms paper-based data safely and directly into electronic workflows. From the device, you can scan, extract, classify, index and convert paper information into digital information that flows through the electronic channels of your business.



iW ACCOUNTING MANAGER FOR MEAP

Track your organization's print consumption through detailed and vital information of how your devices are actually used, all without the need for additional manpower or equipment.




uniFLOW

uniFLOW is designed to save you time and money by providing effective controls over your entire print and multi-functional device fleet. The uniFLOW solution can be built from several different components depending on your needs.

iW SECURE AUDIT MANAGER EXPRESS

Gain document distribution oversight and safeguard your business critical information. By logging text and image data whenever users utilize the multifunctional device, you can protect your company against potential information espionage or abuse.



01 On-device imageRUNNER Agent captures log and image data

02 Info is sent to Express server for OCR; image and text exported

03 Express Audit Tools allows compilation and extraction of key info

ADVANCED RESPONSIBILITY

Much of our advanced features are geared towards efficiency and waste reduction. At Canon, we believe in doing our part for the environment.



Here are some highlights:

100% RECYCLED PLASTIC & 100% RESPONSIBLE

Every imageRUNNER ADVANCE is built from 100% recycled plastics from past products. In addition, we subject ourselves to the most stringent standards, restricting the use of 24 hazardous substances (where EU RoHS directives restrict only six).

ENERGY SAVER IN EVERY WAY

The imageRUNNER ADVANCE C9200 PRO series features the self-lit Energy Saver hard key instead of the conventional Power hard key. This minimizes power consumption when the device goes to sleep mode.

HIGHER EFFICIENCY MEANS LOWER EMISSIONS

By optimizing the document life cycle, we have lowered CO₂ emissions by more than 30% over previous models.

CHANGING OUR BEHAVIOR TO CONSERVE OUR ENVIRONMENT

By encouraging digital workflows, we reduce unnecessary prints and reduce mistakes. Administrators can also help encourage use of duplex settings and control color usage easily.

SCHEDULED TO SAVE

Administrators can opt to automatically shut down devices at a scheduled date and time. This reduces unnecessary wastage during after office hours and non-working days.

GREEN ON THE INSIDE

pQ toner feature lowers energy consumption via lower heat and power requirements. Our RAPID fusing technology saves 75% more power usage. Our list of green technologies goes on.

MAKE IT ADVANCE.

SPECIFICATIONS

imageRUNNER ADVANCE C9200 PRO Series

Type	Reader-Printer Separated, Console type	
Maximum Original Size	A3	
Copy Sizes	Paper Drawer 1, 2 (Left/Right)	A4 and B5
	Paper Drawer 3, 4	330mm x 483mm, 320mm x 450mm (SRA3), 305mm x 457mm, A3, B4, A4, A4R, B5, B5R, A5R, and Custom Size (139.7mm x 182mm to 330.2mm x 487.7mm)
	Stack Bypass	330mm x 483mm, 320mm x 450mm (SRA3), 305mm x 457mm, A3, B4, A4, A4R, B5, B5R, A5R, Custom Size (100mm x 148mm to 330.2mm x 487.7mm), and Envelopes
Resolution	Reading	600dpi x 600dpi
	Copying	600dpi x 600dpi
	Printing	1200dpi x 1200dpi (Text/Line only)
		256 Gradations
Copy/Print Speed	A4 (80gsm)	C9280 PRO: 80ppm (B&W) & 70ppm (Color) C9270 PRO: 70ppm (B&W) & 65ppm (Color)
Magnification	Zoom	25-400%
First Copy Time	Black-and-White	C9280 PRO: 4.4sec, C9270 PRO: 4.9sec
	Full Color	C9280 PRO: 6.0sec, C9270 PRO: 6.6sec
Warm-Up Time	31sec	
Multiple Copies /Prints Duplexing	1 to 9999 sheets	
Paper Weight	Paper Drawer	52 to 220gsm
	Stack Bypass	52 to 300gsm
	Duplex	52 to 220gsm
Paper Capacity (80gsm)	Standard	Paper Drawer 1, 2 (Left/Right): 1,100 sheets x 2 paper decks Paper Drawer 3, 4: 550 sheets x 2 cassettes Stack Bypass: 100 sheets
	Optional	Paper Deck: 3,500 sheets, Multi-drawer Paper Deck: 6,000 sheets Total Capacity: 6,900 sheets, Multi-drawer Paper Deck: 9,400 sheets
CPU	Canon Custom Processor, 1.8GHz	
Memory	Standard: 2GB RAM	
	Maximum: 2.5GB RAM	
Hard Disk Drive	Standard 160GB (Available Disk Space: 15GB) Maximum 1TB (Available Disk Space: 629.2GB)	
Interface	Ethernet (1000Base-T/100Base-TX/10Base-T), USB2.0	
Power Supply	220-240V AC, 50/60Hz, 15A	
Power Consumption	2.5kW or less	
	When in sleep mode 0.9W	
	When power switch is turned off 0.3W	
Toner (Estimated Yield @ 5% coverage)	72,000 (B&W); 54,000 (Cyan, Magenta and Yellow)	
Drum Yield	530,000 (B&W); 174,000 (Cyan, Magenta and Yellow)	
Dimensions (W x D x H)	With the Upright Control Panel-B1 ¹² : 1,180mm x 932mm x 1,403mm	
Weight	Approximately 279kg	
	¹² To the right edge of the upright control panel in the standard position	
Print Specification		
PDL	UFR II (Standard), PCL 5c/6 (Optional), Adobe PostScript 3 (Optional)	
Resolution	1200dpi x 1200dpi (Text/Line only), 600dpi x 600dpi	
Memory	2GB (Uses Main Unit RAM)	
CPU	Canon Custom Processor, 1.8GHz (Uses Main Unit CPU)	
PS Fonts	Roman 136	
PCL Fonts	Roman93, Bitmap10, OCR2	
Supported OS	PCL	Windows XP/Server2003/Vista/Server2008/Windows7 /Server 2008 R2/Windows 8
	Adobe PostScript 3	Windows XP/Server2003/Vista/Server2008/Windows7 /Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later)
UFR II	Windows XP/Server2003/Vista/Server2008/Windows7 /Server 2008 R2/Windows 8, Mac OS X (10.4.9 or later)	
Mac-PPD	Mac OS 9.1 or later, Mac OS X (10.2.8 or later)	
Interface	Ethernet (1000Base-T/100Base-TX/10Base-T), USB2.0	
Network Protocol	TCP/IP (LPD/Port9100/WSN/IPP/PPS/SMB/FTP), IPv6, IPX/SPX (NDS, Bindery), AppleTalk	
Pull Scan	Network TWAIN Driver (75 to 600dpi 24bit Color/8bit Grayscale/2bit Black & White)	
Send Specification (Standard)		
Scan Resolution	100dpi, 150dpi, 200 x 100dpi, 200dpi, 200 x 400dpi, 300dpi, 400dpi, 600dpi	
Destinations	E-Mail/Internet FAX (SMTP), PC (SMB, FTP), WebDAV, Google Docs and Microsoft SharePoint Online with IR-ADV Cloud Connect MEAP application	
Address Book	LDAP, Local (Max.1800)	
File Format	TIFF, JPEG, PDF, XPS, High compression PDF/XPS, PDF/A-1b, Optimize PDF for Web	
Optional Accessories		
Universal Send Advanced Feature Set-D1		
File Format	Outline PDF (Trace & Smooth), Searchable PDF/XPS, Reader Extensions PDF, Office Open XML for Word and PowerPoint	
Universal Send Security Feature Set-D1		
File Format	Encrypted PDF, Device Signature PDF/XPS	
Fiery Print Controller		
Name	imagePASS-A2 (Embedded), ColorPASS-GX400 (External)	
Page Description Language(s)	Adobe PostScript v. 3019	
	Enhanced PCL6/PCL5 (imagePASS-A2 only)	
	FreeForm v. 1 enhanced and v. 2.1	
	PPML GA v. 2.2 (ColorPASS-GX400 only)	
	Adobe PDF Print Engine (ColorPASS-GX400 only)	
Memory	2GB	
Hard Disk	imagePASS-A2: 160GB SATA	
	ColorPASS-GX400: 500GB SATA	
CPU	imagePASS-A2: Intel E5300 2.6GHz ColorPASS-GX400: Intel Core i5 660 3.6GHz	
Fonts	138 Adobe PS fonts installed, double byte font support	
Fiery System Version /Platform	imagePASS-A2: Sys 10e/E100	
	ColorPASS-GX400: Sys 10/PRO80-3	
Interface	1000/100/10Mbps, USB x 8 (Front x 2, Rear x 6) (ColorPASS-GX400), USB x 4 (imagePASS-A2)	
Network Protocol	TCP/IP, AppleTalk, Bonjour, SNMP, IPP, FTP, SMB, NTP, IPv6	

Witness the significant improvement in your business communication capabilities. Move your business forward with the new imageRUNNER ADVANCE C9200 PRO series today.

To arrange for a demonstration, simply contact any of our sales staff in the relevant contact overleaf.


Universal Send Security Feature Set-D1		
File Format	Encrypted PDF, Device Signature PDF/XPS	
Duplex Color Image Reader Unit-F1 (1PDS)		
Paper Size	A3, B4, A4, A4R, B5, B5R, A5, A5R, and B6R	
Paper Weight	Single Sided Original	
	Double Sided Original	
Max. Number of Originals	300 sheets (80gsm)	
Document Scanning Speed (max.)	Copy (Single Side)	A4 120 Sheets/Minute 600dpi (B&W), 70 Sheets/Minute 600dpi (Color)
	Scan (Single Side)	A4 120 Sheets/Minute 300dpi (Color/B&W)
	Copy (Double Side)	60 Sheets/Minute 600dpi (B&W), 35 Sheets/Minute 600dpi (Color)
	Scan (Double Side)	100 Sheets/Minute 300dpi (B&W), 70 Sheets/Minute 300dpi (Color)
Dimensions (W x D x H)	635 x 605 x 253mm	
Weight	Approx. 39.5kg	
Paper Deck Unit-C1		
Paper Size	A4 and B5	
Paper Weight	52 to 220gsm	
Paper Capacity	3,500 sheets (80gsm)	
Dimensions (W x D x H)	323 x 583 x 570mm	
Weight	Approx. 37kg	
POD Deck Lite-A1		
Paper Size	320mm x 483mm, 320mm x 450mm (SRA3), 305mm x 457mm, A3, B4, A4, A4R, and B5	
Paper Weight	52 to 300gsm	
Paper Capacity	3,500 sheets (80gsm)	
Dimensions (W x D x H)	601 x 621 x 570mm	
Weight	Approx. 50kg	
Staple Finisher/Booklet Finisher-K1		
Number of Trays	3 Trays	
Tray Capacity	Non Collate	Tray A: A4, B5, and B5R 1,500 sheets (or 195mm in height) ¹¹ , 330mm x 483mm, 320mm x 450mm (SRA3), 305mm x 457mm, A3, B4, A4R, and B5R 750 sheets
		Tray B: A4, B5, and A5R 250 sheets, A3, B4, A4R, and B5R 125 sheets, 330mm x 483mm, 320mm x 450mm (SRA3), and 305mm x 457mm 30 sheets
	Collate	Tray C: A4 and B5 2,500 sheets (or 325mm in height) ¹¹ , A5R 1,500 sheets, 330 mm x 483mm, 320mm x 450mm (SRA3), 305mm x 457mm, A3, B4, A4R, and B5R 750 sheets
		Tray A/Tray C: A4 and B5 1,500 sheets (or 195mm in height) ¹¹ , A3, B4, and A4R 750 sheets (or 97mm in height)
Staple Mode	Tray A/Tray C: One point at front (diagonal)/One point at back (diagonal)/Two points in center (parallel), A4 and B5 1,500 sheets/100 sets (195mm in height) ¹¹ , A3, B4, and A4R 750 sheets/50 sets (97mm in height)	
	Tray C: A4 and B5 2,500 sheets, A5R 1,500 sheets, 330mm x 483mm, 320mm x 450mm (SRA3), 305mm x 457mm, A3, B4, A4R, and B5R 750 sheets	
Staple Position	Corner, Double	
Staple Capacity (80gsm)	A4 and B5: 100 sheets A3, B4, and A4R: 50 sheets	
Saddle Stitch (80gsm)	Saddle Stitch: 20 sheet (including 1 cover sheet up to 300gsm)	
(Booklet Finisher only)	Saddle Folding: 5 sheets	
	Paper Size: 330mm x 483mm, 320mm x 450mm (SRA3), 305mm x 457mm, A3, B4, A4R, and Custom Size (210mm x 279.3mm to 330.2mm x 487.7mm)	
Dimensions (W x D x H)	767 mm (896mm ¹¹) x 765mm x 1,040mm	
Weight	Approximately 110kg	
	¹¹ When the auxiliary tray is extended	
Document Insertion Unit H1		
Paper Size	330mm x 483mm, 320mm x 450mm (SRA3), 305mm x 457mm, A3, B4, A4, A4R, B5, B5R, and Custom Size (182mm x 182mm to 330.2mm x 487.7mm)	
Paper Weight	52 to 300gsm	
Paper Capacity	Upper/Lower Tray: 200 sheets (80 g/m2) x 2	
Dimensions (W x D x H)	746 x 793 x 1407mm	
Weight	Approx. 61kg	
Other Optional Accessories		
2.5INCH/160GB HDD-G1, 2.5INCH/1TB HDD-H1, 512MB RAM Type D, Access Management System Kit-B1, ADF Access Handle-A1, Barcode Printing Kit-D1, Buffer Pass Unit-J1, Card Reader Attachment-A2, Cassette Heater Unit-38, Copy Card Reader-F1, Copy Control Interface Kit-A1, Copy Tray Unit-P1, Direct Print Kit (for PDF)-H1, Direct Print Kit (for XPS)-H1, Document Scan Lock Kit-B1, Encrypted Printing Software-D1, Productivity Package, Graphic Arts Package, Premium Edition, V.2.2, GUI Kit-A1, HDD Data Encryption & Mirroring Kit-C1, HDD Mirroring Kit-D2, Inner Trimmer-A1, Key Switch Unit-B1, Multi-drawer Paper Deck-A1, Multimedia Reader/Writer-A2, Paper Deck Detection Kit-A1, Paper Deck Heater Unit-A1, Paper Folding Unit-G1, PCL Font Set-A1 EFIGS, PCL Printer Kit-AS1, Printer Cover-B1, Professional Puncher Integration Unit-B1, Professional Puncher-C1, PS Printer Kit-AS1, Punch Unit-BG1 (2/F4 Hole), Punch Die Kit (LL) 2 Hole, Punch Die Kit (LL) 3 Hole, Punch Die Kit (LL) 4 Hole, Reader Heater Unit-G1, Remote Fax Kit-A1, Remote Operators Software Kit-B1, Removable HDD Kit-AC1, Removable HDD Kit-B1, Secure Erase v1.1, Secure Watermark-B1, SeeSequence Compose, SeeSequence Impose, SeeSequence Suite, Serial Interface Kit-K1, Stamp Ink Cartridge-C1, Staple Cartridge-D2, Staple Cartridge-D3, Staple Cartridge-J1, Staple Cartridge-H1, Super G3 2 nd Line Fax Board-AD1, Super G3 3 rd /4 th Line Fax Board-AE1, Super G3 FAX Board-AD2, Universal Send Advanced Feature Set-D1, Universal Send Digital User Signature Kit-C1, USB Device Port-A2, Utility Tray-A2, Voice Guidance-F2, Voice Operation Kit-C2, Web Access Software-H1		
This brochure and the specifications of the product have been developed prior to the date of product launch. These specifications are subject to change without notice. Therefore no representations or warranties, either express or implied, are made of the fitness of this product for a particular purpose. In no circumstances shall the information in this brochure be considered part of our terms and conditions of sale. You are advised to check the prevailing specification immediately prior to purchase. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.		



Managed Document Services



IR ADVANCE Features



Cloud Computing

To integrate more capabilities into your imageRUNNER ADVANCE device, simply speak with your friendly Canon representative.



Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632

Tel: +65-6799 8888 | Fax: +65-6799 8882 | www.canon-asia.com | www.canon.com.sg

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan:

Megaplus Afghanistan Limited

House No. 233, Street No. 4, Charagh Ali, Qilla-e-Fatehullah, Kabul, Afghanistan

Tel: 93-700 228 832 / 93-700 979 511 | Fax: 93-202 201 259

Email: info@megaplus.com.af

Bangladesh:

Flora Limited

No. 5-7 Bunut Jaya Complex, Spg 574 Jalan Tutong BF1320,

Dhaka 1000 Bangladesh

Tel: 880-2-716-2742-46 / 225 | Fax: 880-2-955-0030 | www.floralimited.com

Brunei:

Inhouse Company

No. 5-7 Bunut Jaya Complex, Spg 574 Jalan Tutong BF1320,

P.O. Box 423, Seri Complex, Bandar Seri Begawan BA 1779, Brunei Darussalam

Tel: 673-2-653-001 | Fax: 673-2-653-003

Cambodia:

Royal Cambodia Co., Ltd

#437 Preah Monivong Blvd, Phnom Penh, Kingdom of Cambodia

Tel: 855-23-428955 | Fax: 855-23-722961

Hong Kong:

Canon Hongkong Co. Ltd

19F, The Metropolis Tower, 10 Metropolis Drive, Hunghom, Hong Kong

Tel: 852-3191-2388 | Fax: 852-2369-3800 | www.canon.com.hk

India:

Canon India Private Limited

7th Floor, Tower B, Building #5, DLF Cyber Terraces, DLF Phase-3

Gurgaon - 122002, Haryana, India

Tel: 91-124-416 0000 | Fax: 91-124-416 0011 | www.canon.co.in

Indonesia:

PT Samafitro

Jalan Ir. H Juanda No.8, Jakarta 10120, Indonesia

Tel: 62-21-345 8989 | Fax: 62-21-345 6699 | www.samafitro.co.id

Malaysia:

Canon Marketing (Malaysia) Sdn Bhd

Block D, Peremba Square, Saujana Resort Section U2, 40150 Shah Alam,

Selangor Darul Ehsan, Malaysia

Tel: 60-3-7844 6000 / 7845 0055 | Fax: 60-3-7844 6196 / 6198

www.canon.com.my

Maldives:

Simdi Company Pvt Ltd.

G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives

Tel: 960-333 4421 | Fax: 960-333 4424

Myanmar:

Myanmar Golden Rock International Co., Ltd

#06-01, Building 8, Myanmar ICT Park, Universities' Hlaing Campus,

Hlaing Township, Yangon, Myanmar.

Tel: 95-1-654810 to 17 | Fax: 95-1-654820 | Email: sales@mgr.com.mm

Nepal:

International Electronics Concern (P) Ltd

Kha 14, 1st Floor, Haratibhawan Putalisadak, Ramshah Path,

Kathmandu, Nepal, P.O. Box 12588

Tel: 977-1-442 1991 | Fax: 977-1-442 1909

Pakistan:

Shirazi Trading Company (Pvt.) Ltd

8th Floor, Adamjee House, I.I. Chundrigar Road, Karachi 74000 Pakistan

Tel: 92-21-3241 (7659), (7737) or (7746) | Fax: 92-21-(3241 7747),

(3242 0417) or (3242 0418) | www.shirazitradng.com.pk

Philippines:

Canon Marketing (Philippines), Inc.

8th Floor Commerce and Industry Plaza. Campus Ave. Cor. Park Ave.,

McKinley Hill, Fort Bonifacio, Taguig City

Tel: 632-884-9000 | Fax: 632-556-1456 | www.canon.com.ph

Sri Lanka:

Metropolitan Office (Pvt) Ltd

12, Magazine Road Colombo 08, Sri Lanka

Tel: 94-11-470 0200 | Fax: 94-11-470 0267

Taiwan:

Canon Marketing (Taiwan) Co. Ltd

19F, No. 100, Sec.2 Roosevelt Road, Taipei, Taiwan, R.O.C.

Tel: +886 2-6632-8888 | Fax: +886 2-6632-6700 | www.canon.com.tw

Thailand:

Canon Marketing (Thailand) Co. Ltd

No.98 Sathorn Square Office Tower, 21st - 24th floor,

North Sathorn Road, Silom, Bangrak, Bangkok 10500

Tel: 66-2-344 9999 | Fax: 66-2-344 9960 | www.canon.co.th

Vietnam:

Canon Marketing (Vietnam) Co. Ltd

Level 10, President Place, 93 Nguyen Du, Dist 1, Ho Chi Minh City, Vietnam

Tel: 84-8-3820 0466 | Fax: 84-8-3820 0477 | www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners.

uniFLOW, eCopy and Therefore are independent party software distributed by Canon Singapore Pte Ltd.

0172W364 © 2013 Canon Singapore Pte. Ltd.
All rights reserved. Printed in Singapore.