imageRUNNER
2204N | 2004N | 2004

Canon
Delighting You Always

EXPAND THE
HORIZONS
OF BUSINESS
PRINTING

with Every Print Essential

iR2004

with Continuous Scanning

iR2004N

with Seamless Connectivity

iR2204N

Enhance Your Print Productivity
with A3 Monochrome Prints

Wireless Connectivity*
*only for iR2204N/2004N

20 / 22 ppm

Network Scan*
*only for iR2204N/2004N

Business **Can** be simple

MORE SPACE TO PRINT YOUR GREATEST IDEAS

iR2204N | iR2004N | iR2004

Printing has never been easier with the new imageRUNNER 2204N/2004N (standard models) and the imageRUNNER 2004 (entry model). Packed with essential features such as A3 printing, Department ID management, network scan, mobile printing, and much more, these multifunctional devices enable you to maximise your productivity while reducing environmental impact with Canon's energy saving technology.

Capable of a wide variety of solutions, the imageRUNNER 2204N/2004N/2004 series gives you everything you need to drive your business efficiency forward.

EFFORTLESS ID CARD COPYING

Now with its own one-touch shortcut key, ID card copying lets you scan both sides of a card or licence onto a single printout effortlessly. This not only saves time but also on operating costs as well.

QUICK WARM-UP TIMES

In a fast-paced business environment, every single moment counts. Canon's On-Demand Fixing technology instantly transfers heat to the device's heating elements for a shorter warm-up time, enabling it to be ready for printing in seconds. Only activated during printing, the technology ensures that the multifunctional device is both energy saving and environmentally friendly.

MANAGE USAGE WITH DEPARTMENT ID

Manage access and track your device usage on the imageRUNNER 2204N/2004N for up to 100 users with Department ID. You can assign selective access privileges, restrict certain functions, as well as track print, copy, and scan usages.

▲ STANDARD MODEL   iR2204N / iR2004N

▲ ENTRY MODEL   iR2004

TAKE CONTROL OF YOUR JOB OPERATIONS

CUSTOMISABLE   TOUCH PANEL   BACKLIGHT

Managing your job operations has never been easier with the new touch panel screen on the control panel. Customisable, timesaving, and easy to use, the control panel supports up to 10 languages inclusive of Thai, Vietnamese, and Malay. The control panel is even backlit for visibility, making it ideal for operation no matter the lighting conditions.

SEAMLESS WIRELESS CONNECTIVITY

The imageRUNNER 2204N/2004N can wirelessly connect via an access point that is connected to a network. Once the devices are connected to a network, you can simply print from any computer or mobile devices that are connected to the same network, saving you the time from any wireless set ups and configurations.

PRINT AND SCAN ON THE GO

The Canon PRINT Business app lets you access the imageRUNNER 2204N/2004N from your mobile devices, giving you the benefits of printing and scanning within the app. Supporting file formats such as image files, PDF, Microsoft Office, and iWork™, the app is available on the App Store™ or Google Play™.

Canon imageRUNNER 2204N/2004N works with Google Cloud Print™, so you can print on the go from your smartphone or computer using Google Cloud Print enabled apps.

*iWork and App Store are trademarks of Apple Inc.
 Google Play and Google Cloud Print are trademarks of Google Inc.

	COPY SPEED	NETWORK PRINT	SCAN	WIFI	DEPT ID	PLATEN COVER	DADF	DUPLEX	MAXIMUM PAPER *
iR2204N	22PPM	✓	PUSH/PULL	✓	✓	OPT	OPT	OPT	2 x 250 + 80
iR2004N	20PPM	✓	PUSH/PULL	✓	✓	OPT	OPT	OPT	2 x 250 + 80
iR2004	20PPM	✗	PUSH/PULL	✗	✗	✓	✗	✗	1 x 250 + 80

Based on *80gsm paper sheet

METHOD 01   PUSH SCAN FUNCTION

PUSH   SEND DATA   RECEIVE

METHOD 02   PULL SCAN FUNCTION

1. INSTRUCTION TO SCAN
2. SEND DATA

STREAMLINE YOUR WORKFLOW

Facilitate scanning to a computer in various file formats (JPEG, TIFF, PDF) with the MF Toolbox software. With MF Toolbox, you can attach scanned images to email or store them in specific folders. Initial scan settings can also be configured to suit your workflow, reducing the need to re-enter frequently used settings, saving time and effort.

SPECIFICATIONS

imageRUNNER 2204N | 2004N | 2004

GENERAL SPECIFICATIONS		iR2004	iR2004N	iR2204N
Type		A3 Monochrome Multifunctional Device (Reader/Printer Desktop)		
Copy / Print Speed	A4	20ppm		22ppm
	A3	10ppm		11ppm
Warm-Up Time		13 secs		
Recovery from Sleep Mode		4.3 secs		
First Copy Time		7.4 secs		
Memory		128MB	512MB	
Dimensions (W x D x H)		622 x 589 x 502mm	622 x 605 x 607mm (with ADF)	
Weight		Approx. 28.7kg	Approx. 35.5kg (with ADF)	
Installation Space (W × D)		921 x 589mm (when multipurpose tray is extended)		
Power Supply		220 to 240 V AC, 50/60 Hz, 2.4 A	220 to 240 V AC, 50/60 Hz, 2.7 A	
Max. Power Consumption		1.5 kWh (2 W during Sleep mode)		
Toner Yield (A4, 6% coverage)		Approx. 10,200 sheets (A4, 6% coverage)		
Drum Yield		Approx. 61,700 sheets		

PRINT SPECIFICATIONS				
Print Resolution		600 x 600dpi		
Page Description Language		UFRII LT (Standard)		
Print OS Compatibility		Windows 10/8.1/8/7/Vista/XP, Windows Server 2003/ Server 2003 R2/Server 2008, Mac OS X 10.6.X or later		
Interface	Network	N/A	Ethernet 100Base-Tx/10Base-T	
	Others	USB x 1		
Network Protocol		N/A	TCP/IP (IPv4/IPv6) Frame type: Ethernet II Print applications: LPD/Raw/WSD	

COPY SPECIFICATIONS				
Copy Resolution		600 x 600dpi		
Multiple Copies/Prints		Up to 99 copies		
Magnification		25% - 400%		

SCAN SPECIFICATIONS				
Pull Scan & Push Scan (MF Toolbox)		BW/CLR 300 x 300dpi		
Scan Speed (A4, 300dpi)	1 sided	BW: 23 sheets/minute CL: 12 sheets/minute		
Scan OS Compatibility		Windows 10/8.1/8/7/Vista, Mac OS X 10.6.X or later		
Push Scan Method(s)		N/A	Network folders (SMB, FTP)	
Pull Scan/Remote Scan		MF Toolbox, application compatible with TWAIN/WIA		
File Format (Scan)		PDF/Compact PDF/Searchable PDF/BMP/JPEG/ EXIF/TIFF		

PAPER HANDLING		iR2004	iR2004N	iR2204N
Paper Sizes	Cassette 1	A3, B4, A4R, A4, B5R, B5, A5R, India-LGL, FOOLSCAP		
	Cassette 2	N/A	A3, B4, A4R, A4, A5, B5, B5R	
	Multipurpose Tray	A3, B4, A4R, A4, B5, B5R, A5, A5R, India-LGL, FOOLSCAP, Envelope (COM 10, Monarch, ISO-C5, DL)		
Paper Input Capacity (Standard)	Cassette 1	250 sheets (80gsm)		
	Multipurpose Tray	80 sheets (80gsm)		
Paper Input Capacity (Option)	Cassette 2	N/A	250 sheets (80gsm)	
Paper Weight	Cassette	**Weight:** 64 - 90gsm **Type:** Plain (64 to 90gsm), Recycled (65 to 80gsm), Colour (64 to 80gsm), Pre-punched (75 to 80 gsm)		
	Multipurpose Tray	**Weight:** 64 - 128gsm **Type:** Plain (64 to 90gsm), Heavy 1 (91 to 105 gsm), Heavy 2 (106 to 128gsm), Recycled (65 to 80gsm), Colour (64 to 80gsm), Pre-punched (75 to 80 gsm), Bond (75 to 90 gsm), Transparency, Label, Envelope		

OPTIONAL ACCESSORIES				

DUPLEX AUTOMATIC DOCUMENT FEEDER - AT1

		iR2004	iR2004N	iR2204N
Type		N/A	Automatic Document Feeder	
Size of Originals		N/A	A3, B4, A4, A4R, B5, B5R, A5, A5R, FOOLSCAP, Indian LGL	
Paper Weight		N/A	When continuously scanning originals: 52 to 105gsm When scanning a single original: 37 to 128gsm	
Max. Number of Originals		N/A	50 sheets (80gsm)	
Scanning Speed (Max.)	Copying (A4 in B&W at 600dpi)	N/A	1-sided scanning: 20ipm 2-sided scanning: 8ipm	1-sided scanning: 22ipm 2-sided scanning: 8ipm
	Scanning (A4 at 300dpi)	N/A	1-sided scanning: B&W: 23.4ipm Colour: 12ipm 2-sided scanning: B&W: 8ipm Colour: 4ipm	
Dimensions (W x D x H)		N/A	565 x 520.5 x 126mm	
Weight		N/A	Approx. 7.0kg	

CASSETTE FEEDING MODULE - AD1

	iR2004	iR2004N	iR2204N
Paper Sizes	N/A	A3, B4, A4, A4R, B5, B5R, A5	
Paper Capacity	N/A	250 sheets (80gsm)	
Power Source	N/A	From main unit	
Dimensions (W × D × H)	N/A	579 x 575 x 116mm	
Weight	N/A	Approx. 5.75kg	

OTHER OPTIONAL ACCESSORIES AND SUPPLIES

Duplex Unit-C1*, Platen Cover Type X*, FL Cassette-BB1*, Heater Kit-M2, Cassette Heater Unit-40
*Available for iR2204N/2004N only

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

CANON SINGAPORE PTE. LTD.
1 Fusionopolis Place #15-10 Galaxis Singapore 138522

Tel: 65-6799-8888
Fax: 65-6799-8882
www.canon-asia.com
www.canon.com.sg

DEALER'S STAMP