

# Canon



**CORPORATE SOLUTIONS**



**imageRUNNER®**  
5075 / 5065 / 5055

**meap**  
POWERED BY

## CORPORATE SOLUTIONS

### SPEED, POWER, AND RELIABILITY FOR DEMANDING ENVIRONMENTS

Next-generation imageRUNNER technology delivers  
all the tools you need for professional results.

 **imageRUNNER®**  
5075 / 5065 / 5055

Speed, power, and reliability. What more do you need in a high-volume system? Canon thinks more—much more. That's why the new imageRUNNER 5075/5065/5055 devices have been infused with the latest Canon technology and security advancements to meet the expanding needs of today's high-volume departments and light production environments.

Featuring Canon's next-generation imageCHIP system architecture for true job concurrency and exceptional multifunction performance, these Canon imageRUNNER devices provide powerful capabilities to streamline workflows and speed job completion while keeping information securely in the hands of authorized users.

With a full range of document handling capabilities, powerful print controller options, and publishing management tools, the versatile imageRUNNER 5075/5065/5055 devices enable every employee to produce professional-quality documents with ease.

## BOUND TO INCREASE PRODUCTIVITY FOR PROFESSIONAL RESULTS

The imageRUNNER 5075/5065/5055 devices are modular systems, allowing you to configure paper supply and advanced finishing accessories to meet your professional publishing requirements.

### Robust Engine Design



### Single-Pass Duplex Scanner/Feeder

- Efficiently scans both sides of originals simultaneously for maximum productivity.
- Up to 100-ipm high-speed scanning
- 100-sheet document feeding

### Other Document Handling Options

- Cassette-AB1
- Copy Tray-L1
- Tab Feeding Attachment-B1
- ADF Access Handle-A1



*Note: imageRUNNER 5075 shown with optional accessories.*

### Advanced Finishing Options

- Supports high-volume stacking, versatile 50-sheet stapling, and professional saddle-stitched booklet-finishing capabilities.
- Feed preprinted stock into job streams and automate “C” and “Z” folding tasks.
- Ready documents for binding with in-line 2-/3-hole punch capabilities

### Superior Paper Handling

- Up to 110 lb. Index media weights, including Tab Paper support
- A choice of two high-capacity paper decks to boost paper capacity to a maximum of 7,650 sheets



Finisher-AD1



Saddle Finisher-AD2



Document Insertion/  
Folding Unit-F1



Document Insertion  
Unit-E1



Puncher Unit-AT1



Paper Supply


## EXCEPTIONAL PERFORMANCE AND PRODUCTIVITY

Next-generation technologies give your department a professional edge

The imageRUNNER 5075/5065/5055 devices are powered by Canon's advanced imageCHIP (Concurrent Hyper Intelligent Platform) system architecture for fast multifunction processing and full concurrency. Its dual CPU design rips through image data at fast speeds for maximum productivity in high-volume environments. Vast memory capacities of 1GB RAM and a 40GB hard disk drive provide the virtual space to support multiple users and workflows in busy departments.

The imageRUNNER 5075/5065/5055 models ensure that every job is completed quickly with output speeds of up to 75/65/55 pages per minute (letter), respectively. System operation is simplified for walk-up users through the full-color touch-screen interface and, for connected users, via easy-to-use printer drivers and device management utilities. Every employee has access to a complete range of image and document manipulation features, including support for 1200 x 1200-dpi\* output for outstanding image quality on every page. Plus, every imageRUNNER 5075/5065/5055 system employs Canon's Fine Character and Edge Enhancement Technology (FCET) for printing clear, crisp text and images.

imageCHIP System Architecture



Control Panel

Each model is built on a solid frame to withstand the heavy workload of busy production environments. Canon's IH (Induction Heating) Fusing technology helps reduce energy consumption and ensure near-instant system readiness. Long-lasting supplies and consumables deliver minimal maintenance and maximum uptime.

"Set On" Toner Bottle



A-Si Drum



\* Only available with certain page description languages.



# PROFESSIONAL DOCUMENT PRODUCTION AND STORAGE


Copy and store with more control than ever before.

## SOPHISTICATED COPYING SIMPLIFIED

Supports advanced digital copy features, like Job Block Combination, that enables the production of complex documents by scanning multiple batches of originals saved with different settings and printing them as one document. Environments with more than one Canon imageRUNNER 5075/5065/5055 system can double their productivity with Cascade Copy or output sets directly at the point of need with Remote Copy. Users can also boost programming efficiencies further with the Express Copy UI.

## FLEXIBLE PRINT-ON-DEMAND

Streamline document storage tasks with the Mail Box feature—a great solution for frequent reprinting of forms and static documents. Personalize each Mail Box with a user name, password, and document deletion period. With the new Exceptional Settings tab\* in the print driver, individual or groups of pages can be configured with specific output settings such as media type, paper size, input tray, and finishing options.




Express Copy Menu


## PROFESSIONAL DOCUMENT CONTROL FROM THE DESKTOP

Use Canon's imageWARE Document Manager Personal software to organize and manage files. Every PC serves as a virtual extension of the device with the ability to capture, archive, edit, retrieve, and manipulate documents stored in imageRUNNER Mail Boxes right from the desktop. Users can build complex documents in a simple drag-and-drop workflow for easy use, and then distribute scanned files to any destination.

Cascade Copy



Remote Copy



Cascade/Remote Copy



Mail Box Menu


\* Only available when printing with PostScript 3 Emulation.

## PROFESSIONAL DOCUMENT DISTRIBUTION AND COMMUNICATION

Access, collaborate, and share information from anywhere.

The Internet-ready imageRUNNER 5075/5065/5055 systems can be equipped with a host of features that support information sharing. Start with bundled TWAIN scanning for basic image capture needs with the easy-to-use Canon Network ScanGear utility. Add traditional Super G3 Faxing plus PC Fax capability for convenient faxing from the desktop.

With Canon's Universal Send technology, users can push digital documents to any network destination—e-mail/I-fax addresses, network folders, and local Mail Boxes, all in one simple operation in popular industry formats. These devices also offer productivity-enhancing options, like the Searchable PDF feature, that enables fast keyword searches, information extraction and PDF Encryption, which adds a layer of protection to files as they travel across the network.



Universal Send



Web Access Software

### MAXIMIZE THE POWER OF THE WEB

Support for the Web-based Distributed Authoring and Versioning (WebDAV) protocol facilitates employee collaboration over the Internet. Team members can communicate from remote locations by scanning and securely sending documents from an imageRUNNER 5075/5065/5055 system to a shared storage service.\*

Access to global information is at your fingertips with the Web Access Software option. Browse the Web or corporate intranet sites directly at the system's full-color touch-panel display, and then view or print Internet pages and PDF files right at the device.\*\*

\* Requires Universal Send Kit-F1.

\*\* Printing with the Web Access feature requires the UFR II/PCL/PS Printer Kit-R2.

# PROFESSIONAL PRINTING SOLUTIONS

Optional print controllers provide professional publishing tools to users.

Activate the UFR II/PCL/PS Printer Kit-R2 to allow authorized users to share the imageRUNNER 5075/5065/5055 devices as network printers. This embedded print controller supports PCL 5e/6, and PostScript® 3™ emulation with intuitive drivers, plus Canon's proprietary UFR II (Ultra Fast Rendering) language for exceptional printing performance in Windows® and Macintosh® operating environments.

Choose the external imagePASS-S2 to gain support for genuine Adobe® PostScript 3 along with PCL 5e/6, plus access to advanced options such as Hot Folders and Virtual Printers, Command Workstation®, and EFI® Impose to manage complex workflows with automated job queuing.

imagePASS-S2



**BUILD DOCUMENTS THAT MAKE A LASTING IMPRESSION**  
Canon's imageWARE Publishing Manager software option provides powerful desktop tools to produce professional documents through a simple drag-and-drop interface. Documents can contain contents from many different sources and applications and provide access to a number of editing, imposition, and finishing capabilities.

All the tools you need for a professional high-volume document production system.

## DOCUMENT MAKE-READY TOOLS




**Special Copy Features**  
Job Block Combination:  
Combine different settings in one job



**Web Access**  
Information retrieval from Internet and/or intranet



**imageWARE Publishing Manager**  
Build dynamic documents using drag-and-drop functionality



**Print Driver**  
Page Layout, Finishing, Paper Source, and Quality settings

User Inboxes



**JOB SUBMISSION**

**DOCUMENT STORAGE**

## Professional-Level Finishing



Saddle-Stitched Booklets



C-Fold



Z-Fold



ADVANCED IN-LINE FINISHING OPTIONS

PRINT

- High Image Quality
- Fast Processing
- High-Speed Output

## ACHIEVE COMPLETE CONTROL


Alter system functionality to meet your exact specifications.

### SIMPLIFY DEVICE DISCOVERY AND MANAGEMENT

Canon's imageWARE Enterprise Management Console (EMC) is a Web-based utility that simplifies and centralizes device installation and management, whether you're supporting a single system or a fleet of networked devices.

Specify which users have access to the device and its functions by setting restrictions on port usage and acceptable MAC or IP address ranges. Administrators can easily replicate settings and Address Books across multiple devices through the Device Information Delivery Function (DIDF) for consistent operability on all devices on the network.

Authorized users have total visibility to the system through Canon's Remote UI utility. Access device status, job queues, configuration information; monitor paper and supply levels; view documents in Mail Boxes; and edit Address Books via a standard Web browser.



imageWARE Enterprise Management Console

### CONTROL ACCESS BY INDIVIDUAL USER


Ensure that only authorized personnel can access the device and the data stored inside it. With a choice of user authentication methods, administrators can track or limit system access to users. Select Single Sign-On (SSO) using network accounts, Simple Device Log-In (SDL), or Department ID. Using the optional Access Management System, administrators have powerful control over access to the device and its functions—at both the user- and group-level.

### MEET UNIQUE WORKFLOWS

For environments with specialized needs, Canon's MEAP® (Multifunctional Embedded Application Platform) architecture allows the system to incorporate unique software applications that run embedded in the device and map to your specific workflows. The result is the total integration of your imageRUNNER 5075/5065/5055 systems into the business infrastructure by presenting customized applications to walk-up users directly from the devices' full-color LCD panel.

### ACHIEVE OPERATIONAL EFFICIENCY

Breeze through complex tasks and help to reduce operator mistakes using the new Workflow Composer option. Workflow Composer enables users to configure one-button to perform multiple actions, such as copying, sending, and storing at the device in a single step. For even greater convenience, workflow buttons can also be created and edited from the desktop.



Workflow Composer Menu



## DATA PROTECTION WITH ACCESS FOR ALL AUTHORIZED USERS

### PROTECT CRITICAL INFORMATION.

Take advantage of a number of standard and optional imageRUNNER security measures designed to keep confidential data secure. The Encrypted Secured Print Software option makes print data indecipherable before sending it over the network. The document can only be decrypted and printed after the correct password is entered at the control panel. When the Secure Watermark option is activated, the system embeds text and background patterns on printed documents that become visible if the page is reproduced, deterring users from copying sensitive information.

Universal Send security options include Digital Device and Digital User Signature Modes that provide traceability by verifying which unit and user scanned the document to ensure that files are coming from a trusted source.

For highly sensitive environments dealing with classified data, the HDD Data Encryption option encrypts all information before writing it to the hard disk drive, and has achieved Common Criteria (CC) Certification. When the optional HDD Data Erase Kit is added, the device can be set to automatically overwrite previously stored data.

The imageRUNNER 5075/5065/5055 devices also support IP v6 for enhanced network infrastructure management.\*



Digital Signature PDF

**Document Security**  
Encrypted Secured Print  
Watermark/Secure Watermark  
Copy Set Numbering  
Encrypted PDF  
Digital Signature PDF  
FAX Forwarding  
FAX Destination Confirmation

**Mail Server Security**  
POP Authentication before SMTP  
SMTP Authentication

**Network Security**  
MAC Address Filtering  
IP Address Filtering  
SSL Encryption  
Network Application On/Off  
USB Block  
Destination Restriction



**HDD Security**  
HDD Data Erase  
HDD Data Encryption  
HDD Format  
Mail Box Password Protection  
Job Log Conceal



**Device Access Security**  
Department ID (up to 1000 IDs)  
User Authentication (SDL/SSO)  
Access Management System  
Control Card/Card Reader System  
Smart Card Authentication

**Device Management**  
DIDF (Device Information Delivery Function)  
imageWARE Enterprise Management Console

### Device Management and Security Overview

### INNOVATIVE ACCESSIBILITY OPTIONS

Canon offers a number of options to ensure easy access for every authorized user. Users have access to all system functions from a laptop or desktop PC using the Remote Operator's Software Kit. This emulates the device control panel on a computer monitor. Users with visual impairments can receive audible confirmation of selected copy functions with the Voice Guidance Kit.

\* Wireless Network Interface Adapter NB-W1 does not support IPV6.

## MEETING THE CHALLENGES OF EVERY ENVIRONMENT

From busy corporate departments to specialized businesses, Canon's high-volume imageRUNNER devices are hard at work helping companies produce documents with professional results.

### CORPORATE OFFICES

The general office can be a busy place and imageRUNNER corporate solutions are a perfect fit. Featuring ease-of-use, massive paper capacities, and long-lasting supplies, the imageRUNNER 5075/5065/5055 systems are excellent choices to support multiuser environments. Advanced document insertion and finishing capabilities enable the in-house production of sales reports and proposals with covers, heavy stock catalogs, brochures, employee handbooks, and more.



Saddle-Stitched Booklets

### MANUFACTURING

From design schematics to patent applications, or internal training materials to end-user assembly instructions, ever-changing market conditions and advancements in product technologies yield a never-ending stream of documentation produced by manufacturers. The imageRUNNER 5075/5065/5055 systems enable the fast turnaround of critical documents while ensuring the integrity and confidentiality of new product designs and launch plans with the latest security enhancements.



Z-Folding



## EDUCATION

Learning institutions of all kinds generate millions of pages each semester for course syllabi, classroom learning aids and handouts, exams, and administrative needs. High-volume Canon imageRUNNER 5075/5065/5055 systems support students and faculty alike with the ability to handle multiple media types to create powerful learning tools, fast document scanning for article reprints, and massive memories with simple-to-use publishing software to easily update course packs for each new semester and print desired quantities on demand.

## CENTRAL REPRODUCTION DEPARTMENTS

Paper-intensive businesses with dedicated reproduction departments are under constant pressure to meet deadlines while maintaining optimal image quality. Volumes are unpredictable and media requirements are as varied as the job types. High-volume imageRUNNER 5075/5065/5055 solutions deliver the paper supply, folding, and finishing versatility demanded by production environments.



### Three-Hole Punching and Tab Inserts



### C-Folding

## IMAGE OF A LEADER

Canon continues to lead the way with next-generation solutions that address the expanding needs of high-volume environments, with new benchmarks for performance and reliability. Talk to your authorized imageRUNNER sales specialist to learn more about how Canon technology can make your documents look more professional.

## MAIN UNIT

Type:	Monochrome Digital Multifunction Imaging System
Imaging System:	Laser Dry Electrostatic Transfer
Developing System:	Dry Mono Component Toner Projection
Fixing System:	Induction Heating Fusing System
Acceptable Originals:	Sheets, books, and 3-Dimensional objects up to 4.4 lb.
Max. Original Size/Max. Copy Size:	11" x 17" / 11" x 17"
Min. Copy Size:	3-7/8" x 5-7/8" (via Stack Bypass)
Memory:	Standard 1GB RAM + 40GB HDD (Shared)
Max. Copy Reservation:	20 Jobs
Max. Mail Boxes Supported:	100 User Inboxes, 1 Memory RX Inbox, 50 Confidential Fax Inboxes
Scan Resolution:	600 x 600 dpi
Copy Resolution:	1200 x 600 dpi (Interpolated)
Engine Resolution:	1200 x 1200 dpi
Halftone:	256 Gradations of Gray
Exposure Control:	Automatic or Manual (9 Levels)
Copy/Print Speeds:	Up to 75/65/55 ppm (Letter)
First-Copy Time	
5075:	3.1 Seconds from Platen Glass
5065/5055:	3.3 Seconds from Platen Glass
Warm-Up Time:	30 Seconds or less from Main Power Off or Sleep Mode
Multiple Copies:	1 to 9,999
Paper Supply	
Standard:	Dual Paper Drawers (1,500 Sheets Each) Dual 550-Sheet Paper Cassettes (550 Sheets Each) 50-Sheet Stack Bypass 3,500-Sheet Paper Deck
Optional:	7,650 Sheets
Maximum Paper Supply:	
Acceptable Paper Sizes	
Upper Drawers:	Letter
Lower Cassettes:	11" x 17", Legal, Letter, Letter-R, Statement-R, Executive
Stack Bypass:	11" x 17", Legal, Letter, Letter-R, Statement-R, Executive, Free Size (3-7/8" x 5-7/8" to 11-5/8" x 17")
Acceptable Paper Weight:	17 lb. Bond to 110 lb. Index (From All Sources)
Duplexing:	Standard Automatic Trayless Duplexing
Magnification	
Standard Mode:	100%
Zoom Mode:	Platen: 25% - 400% (In 1% Increments) Feeder: 25% - 200% (In 1% Increments)
Interface Connections:	10/100Base-TX (RJ-45), Hi-Speed USB 2.0
Dimensions (H x W x D):	47-1/2" x 25-3/8" x 29-1/8" (1,207mm x 643mm x 743mm)
Weight:	474 lb. (215 kg)
Power Requirements:	120V AC, 60Hz, 20A
Power Consumption:	1.92kW (Max.)
Plug:	NEMA 5-20P
Toner (Estimated Yield):	48,000 Impressions @ 6% Image Coverage
Drum (Estimated Yield):	3,000,000 Impressions

## Single-Pass Duplex Scan Document Feeder

Acceptable Originals:	Statement to 11" x 17"
Acceptable Weights	
One-Sided Scanning:	11 lb. to 32 lb. Bond
Two-Sided Scanning:	13 lb. to 32 lb. Bond
Paper Capacity:	100 Sheets (20 lb. Bond)
Original Scanning Speed:	Up to 100 ipm (Letter @ 300 dpi, Two-Sided) Up to 77 ipm (Letter @ 300 dpi, One-Sided)

## Optional Accessories

### Paper Deck-AD1/AE1

Acceptable Paper Size:	Letter/11" x 17", Legal, Letter, Letter-R
Paper Capacity:	3,500 Sheets (20 lb. Bond)
Acceptable Paper Weight:	17 lb. Bond to 110 lb. Index

### Finisher-AD1/Saddle Finisher-AD2

Number of Trays:	3 Trays
Acceptable Paper Sizes:	11" x 17", Legal, Letter, Letter-R, Statement, Statement-R, Executive, Free Size (3-7/8" x 5-7/8" to 11-7/8" x 17")
Acceptable Paper Weight:	17 lb. Bond to 140 lb. Index

Tray Capacities (No Collating Mode):	Up to 4,000 Sheets (Letter)
Staple Mode (Trays B & C)	
Tray B, Tray C:	1,300 Sheets/100 Sets (or 7-3/8" (188.4mm) in Height) (Letter, Executive)

Paper Sizes:	11" x 17", Legal, Letter, Letter-R, Executive
--------------	---

Staple Positions:	Any Corner Staple Double Staple in Right or Left Margin Saddle Stitch (Center Staple)*
-------------------	--

Stapling Capacity:	50 Sheets (Letter, Executive) 30 Sheets (11" x 17", Legal, Letter-R)
--------------------	---

Saddle-Stitching*	
Acceptable Paper Sizes:	11" x 17", Legal, Letter-R
Saddle-Stitch Capacity:	15 Sheets (60-Page Booklets)

Attachable Accessories:	Document Insertion Unit-E1 Document Insertion/Folding Unit-F1 Puncher Unit-AT1
-------------------------	--

## Document Insertion Unit-E1

### (Option for Finisher-AD1/Saddle Finisher-AD2)

Number of Trays:	1
Insertion Tray Capacity:	100 Sheets
Acceptable Paper Weight:	17 lb. Bond to 140 lb. Index
Acceptable Paper Sizes:	11" x 17", Legal, Letter, Letter-R, Executive

## Document Insertion/Folding Unit-F1

### (Option for Finisher-AD1/Saddle Finisher-AD2)

Number of Trays:	1
Insertion Tray Capacity:	100 Sheets
Acceptable Paper Weight (Insertion):	17 lb. Bond to 140 lb. Index
Acceptable Paper Sizes (Insertion):	11" x 17", Legal, Letter, Letter-R, Executive
Acceptable Paper Weight (Folding):	17 lb. - 28 lb. Bond
Acceptable Paper Sizes (C-Fold):	Letter-R
Acceptable Paper Sizes (Z-Fold):	11" x 17", Legal, Letter-R
Folding Method:	Roller Pressure Folding
C-Fold Output Tray Capacity:	40 Sheets

## Puncher Unit-AT1

### (Option for Finisher-AD1/Saddle Finisher-AD2)

Acceptable Paper Sizes:	11" x 17", Legal, Letter, Letter-R
Acceptable Paper Weight:	17 lb. Bond to 110 lb. Index
Punch Method:	Sequential Processing System (1 Sheet at a time)
Punch Type:	2 Holes: (Legal, Letter-R) 3 Holes: (11" x 17", Letter)

## Other Optional Accessories

- UFR II/PCL/PS Printer Kit-R2
- Encrypted Secured Print Software-C1\*\*
- Barcode Printing Kit-A1\*\*
- Web Access Software-F1\*\*\*
- imagePASS-S2
- Hot Folders & Virtual Printers for imagePASS-S2
- Impose for imagePASS-S2
- Universal Send Kit-F1
- Digital User Signature PDF Kit-A1†
- Universal Send Searchable PDF Kit-A1†
- Universal Send PDF Security Feature Set-A1††
- Workflow Composer-B2
- Secure Watermark-A1
- Super G3 Fax Board-Z2
- HDD Data Encryption Kit-B2
- Wireless Network Interface Adapter NB-W1††,‡
- HDD Data Erase Kit-A1
- Access Management System Kit-A1
- Expansion Bus Board-D2
- Remote Operator's Software Kit-A2
- Voice Guidance Kit-B1††
- Cassette-AB1 (Replacement)
- Tab Feeding Attachment-B1
- Copy Tray-L1
- Card Reader-C1
- Card Reader Attachment-C2
- Braille Label Kit-A1
- ADF Access Handle-A1
- Stamp Unit-B1
- Stamp Unit Cartridge-C1
- Staple Cartridge-J1
- Staple Cartridge-D2
- eCopy Suite
- imageWARE™ Suite

## Footnotes:

\* Available with Saddle Finisher-AD2 only.

\*\* Requires UFR II/PCL/PS Printer Kit-R2.

\*\*\* Requires UFR II/PCL/PS Printer Kit-R2 for printing Web pages and PDF files.

† Requires Universal Send Kit-K1.

†† Requires Expansion Bus Board-D2.

‡ Check for availability.

**Canon**  
*image*ANYWARE

1-800-OK-CANON  
www.usa.canon.com

Canon U.S.A., Inc.  
One Canon Plaza  
New York, NY 10017

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has determined that these products meet the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Windows and Windows NT are registered trademarks of Microsoft Corporation in the United States and/or other countries. Adobe and PostScript are registered trademarks of Adobe Systems Incorporated in the United States and/or other countries. Macintosh is a registered trademark of Apple Computer, Inc. Intel and Celeron are registered trademarks of Intel Corporation. eCopy is a trademark of eCopy, Inc. Novell and NetWare are registered trademarks of Novell, Inc. in the United States and other countries. IPX/SPX is a trademark of Novell, Inc. Solaris and Sun are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries. CANON, IMAGERUNNER, and MEAP are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. IMAGEWARE is a registered trademark of Canon U.S.A., Inc. in the United States and is a trademark of Canon Inc. in certain other countries. IMAGEANYWARE is a trademark of Canon. All referenced product names and other marks are trademarks of their respective owners.

Some products shown with optional accessories and equipment. Specifications and availability subject to change without notice. ©2011 Canon U.S.A., Inc. All rights reserved.

